

**Vacancy Notification No.4- Recruitment of Assistant Director(Mktg) [OBC]
Result of Objective type test conducted on 3rd Aug 2014 and
information on next level selection process on 13th Aug 2014**

Registration No.	No. of Correct Answers	No. of Incorrect Answers	Marks
201402006	36	30	114
201402007	57	48	180
201402008	69	32	244
201402009	57	62	166
201402012	47	24	164
201402014	35	71	69
201402015	34	41	95
201402017	62	40	208
201402018	50	45	155
201402021	38	43	109
201402023	40	48	112
201402024	41	18	146

Next stage selection process/interview and document verification: 10.00 AM on Thursday, the 13th August, 2014. Candidates are advised to reach at the venue, 30 minutes before the scheduled time.

Venue for the next selection process : Rubber Board Zonal Office, Central Block II, First Floor, Housefed Complex, Beltola – Basistha Road, Dispur, Guwahati, Assam – 781 006

The selection process on 13th Aug 2014 includes an assignment and presentation using a Laptop and candidates who are comfortable with their own laptop may bring the same. Those who could not bring laptop should inform the Board on or before 5.00PM, 9th Aug 2014 by mail to sbrecruitment2014@gmail.com for the needful arrangement by the Board

Candidates employed in Government/Semi-Government Organizations should produce No Objection Certificate (NOC) from the employer.

Shortlisting of candidates is based on the information provided by the candidates in the application and the same is subject to verification at the time of interview. The caste certificate (OBC) should be current and should have a clause of non-creamy layer. Candidates should bring a valid id proof,

call letter, original certificates in support of their specified educational qualifications and experience, proof of age and caste.

If it is found at any stage of the recruitment that the candidate does not fulfill all/any of the conditions of the eligibility, his/her candidature will be cancelled.

Location map of venue for selection process on 13th Aug 2014

(Source google maps)

