

## शुद्धिपत्र - ऑडियो सोलुशन केलिए निविदा

संदर्भ 1 :- निविदा संख्या ई डी पी/साउंड/2016-17 दिनांक 28 फरवरी 2017

2 : 10-03-2017 को स्पाइसेस बोर्ड में सम्पन्न पूर्व-बोली बैठक

उपर्युक्त के संदर्भ में, निविदा के खंड 4 और 6 के अधीन निम्नलिखित संशोधन किए गए हैं:

### खंड 4. चयन, पात्रता और मूल्यांकन मानक

1. बोलीदाता को संबंधित क्षेत्र में कम से कम पाँच साल का अनुभव होना चाहिए और इस संबंध में समर्थक दस्तावेज़ दिए जाने चाहिए।
2. बोलीदाता द्वारा कम से कम दो संगठनों में समान तरह के सिस्टम का कार्यान्वयन अनिवार्यतः किया गया हो। निविदा के साथ कार्य आदेश और समापन व स्थापना प्रमाणपत्र की प्रति प्रस्तुत की जानी होगी।
3. तकनीकी तौर पर योग्य फ़र्मों का वित्तीय प्रस्ताव ही खोला जाएगा। जो फ़र्में योग्य नहीं हैं, उसका वित्तीय प्रस्ताव बिना खोले वापस भेजा जाएगा।
4. बोलीदाता कोट किए गए उत्पाद केलिए विनिर्माता प्राधिकार फॉर्म प्रस्तुत करेंगे।
5. कोट किए गए उत्पाद कम से कम दस सालों केलिए विपणी में उपलब्ध हो और आई एस ओ 9001 प्रमाणित हो।

## खंड 6. कोटेशन प्रस्तुत करने का फ़ॉर्मेट

फ़ॉर्मेट जिसमें कोटेशन दिया जाना है :-

क्रम सं.	मद	विवरण	तीन वर्ष की वारंटी सहित यूनिट मूल्य( सभी चार्ज और कर सहित) (केबलिंग के लिए प्रति मीटर मूल्य का उल्लेख करें)	मात्रा	कुल
1	mic (including chairman unit)	professional gooseneck electret condensor mic,cardioid polar pattern, 18 inch ,frequency response 70-16000Hz or above		31	
2	Speakers with wall mount stand	Speakers with wall mount stand should leverage the latest technologies in cabinet materials, acoustic science and user friendliness that delivers professional, flexiable portable system, 5 inch two way speaker,108 db SPL,frequency range 48 Hz-20000 Hz or above, stand should be wall mount heavy duty steel tube speaker stand		4	
3	Amplifier Pen drive enabled	240W amplifier for adequate sound reinforcement. Suitable and compatible with other system.		1	
4	Recording device including media	Audio output can be recorded to recording media. Shall support mp3 upto 4 GB or more. Capacity expandable via micro SD,SDHC.Direct USB connection to PC.		1	
5	Cordless hand mic	Working Range-91m (300ft) Line of Sight Audio Frequency auto frequency scan with transmitter set up		2	
6	Coller Mic	Freq. Response – 20 to 20,000 Hz OR More ,Transducer Type : Condenser, Polar Pattern: Omnidirectional		1	
7	Connectors			60(approximate)	
9	Cables	Complete cabling for the above parts so as to provide a fully working audio conferencing system. Cable should be ISO 9001 certified.		500 metre (approximate)	

8	Mixer	Automatic conference mixer that allows any standard microphone and other inputs to be connected into a conference set up, 8 MIC/LINE channel mixer, delegate or chairman selectable options on each channel, individual phantom on each channel, each channel has a comb jack input connector		4	
9	Audio Processor	2 channel audio processor with automatic feedback reduction.			
10	Installation and other charges (if any)				
Total cost.					
Total buy back price of 27 ahuja gmb-6c mic, 6 ahuja speaker, 1 ahuja tza2000 amplifier, 1 studio master diamond 20-2 delux mixer, 1 studio master diamond 12-2 deluxe mixer, 1 ahuja mmx-55 mixer, 1 ahuja cordless mic with receiver and cables, "as is where is" condition. (B)					
Net Price (= A - B)					
<b>Note: The solution should support audio from the laptop.</b>					

उप निदेशक (ई डी पी)