

National Food Safety Standard Maximum Residue Limits for Pesticides in Food

Foreword

This document has been drafted in accordance with the rules of GB/T 1.1-2020 "Directives for standardization – Part 1: Rules for the structure and drafting of standardizing documents".

This document replaces GB 2763-2021 "National Food Safety Standard – Maximum Residue Limits for Pesticides in Food" and GB 2763.1-2022 "National Food Safety Standard – Maximum Residue Limits for 112 Pesticides including 2,4-D Butylate Sodium Salt in Food". Compared with GB 2763-2021 and GB 2763.1-2022, apart from structural adjustments and editorial changes, the main technical changes are as follows:

- a) Deleted 1 pesticide: fluensulfone;
- b) Added 370 pesticide maximum residue limits;
- c) Added 14 detection method standards, changed 3 detection method standards, deleted 20 detection method standards;
- d) Changed the maximum residue limit values for 23 pesticides;
- e) Changed the residue definitions for 3 pesticides including glufosinate-ammonium;
- f) Changed the Acceptable Daily Intake (ADI) for 2 pesticides including picoxystrobin;
- g) Changed some limit values for 113 pesticides including MCPA-isooctyl from temporary limits to formal limits, and changed some limit values for 7 pesticides including chlorothalonil from formal limits to temporary limits;
- h) Changed Normative Appendix A, added 15 food names including pigeon pea, deleted 2 food names, and changed the structure of 1 food category.

The previous versions of this document and the documents it replaces are as follows:

-GB 2763 was first published in 2005 as GB 2763-2005, and subsequently revised as GB 2763-2012, GB 2763-2014, GB 2763-2016, GB 2763-2019, GB 2763-2021;

-GB 2763.1 was first published in 2018, and revised for the second time in 2022.

-This is the sixth revision and incorporates the content of GB 2763.1-2022.

National Food Safety Standard

Maximum Residue Limits for Pesticides in Food

1 Scope

This document specifies 10,749 maximum residue limits for 585 pesticides including 2,4-DB in food.

This document applies to foods relevant to the limits.

Food categories and parts to be analyzed (Appendix A) are used to define the scope of application of pesticide maximum residue limits and apply only to this document. When the maximum residue limit for a certain pesticide applies to a specific food category, it applies to all foods under that food category, unless otherwise specified.

The list of pesticides exempted from establishing maximum residue limits in food (Appendix B) is used to define the scope for which it is not necessary to establish pesticide maximum residue limits in food.

2 Normative References

The contents of the following documents constitute essential provisions of this document through normative references. For dated references, only the edition corresponding to that date applies to this document. For undated references, the latest edition (including all amendments) applies to this document.

Select detection methods that meet the detection requirements from the accompanying test methods. After the publication of this document, newly implemented national food safety standards (GB 23200 series) also apply to the detection of corresponding parameters.

GB/T 5009.19 Determination of multiple organochlorine pesticide residues in foods

GB/T 5009.20 Determination of organophosphorus pesticide residues in foods

GB/T 5009.36 Method for analysis of hygienic standard of grains

GB/T 5009.102 Determination of phoxim pesticide residues in plant origin foods

GB/T 5009.103 Determination of methamidophos and acephate pesticide residues in plant origin foods

GB/T 5009.104 Determination of carbamate pesticide residues in plant origin foods

GB/T 5009.105 Determination of chlorothalonil residues in cucumber

GB/T 5009.107 Determination of diazinon residues in plant-based foods

GB/T 5009.113 Determination of cyclohexane residues in rice

GB/T 5009.114 Determination of diazinon residues in rice

GB/T 5009.115 Determination of tricyclazole residues in rice

GB/T 5009.126 Determination of triadimefon residues in plant-based foods

GB5009.129 National Food Safety Standard - Determination of ethoxyquin in food

GB/T 5009.130 Determination of flufenacet residues in soybeans and cereals

GB/T 5009.131 Determination of phosmet residues in plant-based foods

GB/T 5009.132 Determination of atrazine residues in food

GB/T 5009.133 Determination of chlorothalonil residues in grains

GB/T 5009.134 Determination of Cladophos Residue in Rice

GB/T 5009.135 Determination of Diflubenzuron Residue in Plant-Based Foods

GB/T 5009.136 Determination of Pentachloronitrobenzene Residue in Plant-Based Foods

GB/T 5009.142 Determination of Pyrifluquinazon and Pinpyrethrum Residues in Plant-Based Foods

GB/T 5009.143 Determination of Amitraz Residue in Vegetables, Fruits and Edible Oils

GB/T 5009.144 Determination of Methyl Isofenphos Residue in Plant-Based Foods

GB/T 5009.145 Determination of Multiple Residues of Organophosphorus and Carbamate Pesticides in Plant-Based Foods

GB/T 5009.146 Determination of Multiple Residues of Organochlorine and Pyrethroid Pesticides in Plant-Based Foods

GB/T 5009.147 Determination of Diflubenzuron Residue in Plant-Based Foods

GB/T 5009.155 Determination of Isoprothiolane Residues in Rice

GB/T 5009.160 Determination of Amitraz Residues in Fruits

GB/T 5009.161 Determination of Multiple Component Residues of Organophosphorus Pesticides in Animal-Derived Foods

GB/T 5009.162 Determination of Multiple Component Residues of Organochlorine Pesticides and Pyrethroid Pesticides in Animal-Derived Foods

GB/T 5009.164 Determination of Butachlor Residues in Rice

GB/T 5009.165 Determination of 2,4-G Diethyl Butyl Acetate Residues in Grains

GB/T 5009.172 Determination of Trifluralin Residues in Soybeans, Peanuts, Soybean Oil, and Peanut Oil

GB/T 5009.174 Determination of Metolachlor Residues in Peanuts and Soybeans

GB/T 5009.175 Determination of 2,4-G Diethyl Butyl Acetate Residues in Grains and Vegetables

GB/T 5009.176 Determination of Trichlorfon Residues in Tea, Fruits, and Edible Vegetable Oils

GB/T 5009.177 Determination of Propanil Residues in Rice

GB/T 5009.180 Determination of Herbicides Residues in Rice and Peanuts

GB/T 5009.184 Determination of Thiazide Residues in Grains and Vegetables

GB/T 5009.200 Determination of Wild Chlorpyrifos Residues in Wheat

GB/T 5009.201 Determination of Tebuconazole Residues in Pears

GB/T 5009.218 Determination of Multiple Pesticide Residues in Fruits and Vegetables

GB/T 5009.219 Determination of Chlormequat Chloride Residues in Grains

GB/T 5009.220 Determination of Dichlorvos Residues in Grains

GB/T 5009.221 Determination of Diquat Residues in Grains

GB/T 14929.2 Methods for Determination of Aldicarb Residues in Peanut Kernels, Cottonseed Oil, and Peanut Oil

GB/T 19650 Determination of Residues of 478 Pesticides and Related Chemicals in Animal Muscle - Gas Chromatography-Mass Spectrometry

GB/T 20769 Determination of Residues of 450 Pesticides and Related Chemicals in Fruits and Vegetables - Liquid Chromatography-Tandem Mass Spectrometry

GB/T 20770 Determination of Residues of 486 Pesticides and Related Chemicals in Grains - Liquid Chromatography-Tandem Mass Spectrometry

GB/T 20771 Determination of Residues of 486 Pesticides and Related Chemicals in Honey - Liquid Chromatography-Tandem Mass Spectrometry

GB/T 20772 Determination of Residues of 461 Pesticides and Related Chemicals in Animal Muscle - Liquid Chromatography-Tandem Mass Spectrometry

GB/T 22243 Determination of Clopyralid Residues in Rice, Vegetables, and Fruits

GB/T 22979 Determination of Residues of Cyclopyralid in Milk and Milk Powder Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.2 National Food Safety Standard - Methods for Determination of Herbicide Residues - Part 2: Gas Chromatography-Mass Spectrometry - Determination of Diphenyl Ether Herbicide Residues in Grains and Oilseeds

GB23200.3 National Food Safety Standard - Methods for Determination of Herbicide Residues - Part 3: Liquid Chromatography-Mass Spectrometry (GC-MS/MS) - Determination of Cyclohexanone Herbicide Residues in Food

GB23200.6 National Food Safety Standard - Methods for Determination of Herbicide Residues - Part 6: Liquid Chromatography-Mass Spectrometry (GC-MS/MS) - Determination of Herbicides in Food

GB23200.8 National Food Safety Standard - Determination of 500 Pesticide and Related Chemical Residues in Fruits and Vegetables - Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.9 National Food Safety Standard - Determination of 475 Pesticide and Related Chemical Residues in Grains - Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.10 National Food Safety Standard GB23200.13 National Food Safety Standard - Determination of 488 Pesticide and Related Chemical Residues in Mulberry Twigs, Honeysuckle, Goji Berries, and Lotus Leaves - Gas Chromatography-Mass Spectrometry

GB23200.16 National Food Safety Standard - Determination of 448 Pesticide and Related Chemical Residues in Tea - Liquid Chromatography-Mass Spectrometry

GB23200.19 National Food Safety Standard - Determination of Avermectin Residues in Fruits and Vegetables - Liquid Chromatography

GB23200.20 National Food Safety Standard - Determination of Avermectin Residues in Food - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

GB23200.22 National Food Safety Standard - Determination of Mulberry Twigs and Lotus Leaves Residues of Mulberry Twigs, Honeysuckle, Goji Berries, and Lotus Leaves - Liquid Chromatography

GB23200.24 National Food Safety Standard - Determination of 11 Herbicide Residues in Grains and Soybeans - Gas Chromatography-Mass Spectrometry

GB23200.29 National Food Safety Standard - Determination of Azoxystrobin Residues in Fruits and Vegetables - Liquid Chromatography

GB23200.30 National Food Safety Standard - Determination of Cycloflufenicol Residues in Food - Gas Chromatography-Mass Spectrometry

GB23200.31 National Food Safety Standard - Determination of Propylene Fluopyram Residues in Food - Gas Chromatography-Mass Spectrometry

GB23200.32 National Food Safety Standard - Determination of Butyrylhydrazine Residues in Food - Gas Chromatography-Mass Spectrometry

GB23200.33 National Food Safety Standard - Determination of 110 Pesticide Residues in Food, including Acetaminophen, Phosphamidon, and Dipropionyl Acetate - Gas Chromatography-Mass Spectrometry

GB23200.34 National Food Safety Standard - Determination of 65 Pesticide Residues in Food, including Aldimethoate, Pyraclostrobin, and Azoxystrobin Liquid Chromatography-Mass Spectrometry

GB23200.37 National Food Safety Standard - Determination of Residues of 20 Pesticides Including Acetaminophen and Dinotefuran in Food - Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

GB23200.39 National Food Safety Standard -Determination of thiamethoxam and its metabolite thiamethoxam residues in food by liquid chromatography-mass spectrometry/mass spectrometry

GB23200.43 National Food Safety Standard - Determination of quinclorac residues in grains and oilseeds - Gas chromatography

GB23200.45 National Food Safety Standard - Determination of diflubenzuron residues in food - Liquid chromatography-mass spectrometry

GB23200.46 National Food Safety Standard - Determination of pyrimethanil, azoxystrobin, cyproconazole, and pyraclostrobin residues in food - Gas chromatography-mass spectrometry

GB23200.47 National Food Safety Standard - Determination of tetradifonium residues in food - Gas chromatography-mass spectrometry

GB23200.49 National Food Safety Standard - Determination of difenoconazole residues in food - Gas chromatography-mass spectrometry

GB23200.51 National Food Safety Standard - Determination of fipronil residues in food Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

GB23200.53 National Food Safety Standard - Determination of Flusilazole Residues in Food - Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.54 National Food Safety Standard - Determination of Methoxyacrylate Bactericide Residues in Food - Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.56 National Food Safety Standard - Detection Method for Quinoxiphenate Residues in Food

GB23200.57 National Food Safety Standard - Detection Method for Acetochlor Residues in Food

GB23200.58 National Food Safety Standard - Determination of Chlorpyrifos-Sulfonamide Residues in Food - Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

GB23200.62 National Food Safety Standard - Determination of Fluorocarboxylic Acid Residues in Food Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.64 National Food Safety Standard - Determination of Pyriproxyfen Residues in Food - Liquid Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.65 National Food Safety Standard - Detection Method for Tetraflufenazole Residues in Food

GB23200.68 National Food Safety Standard - Determination of Cyclosulfonamide Residues in Food - Gas Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.69 National Food Safety Standard - Determination of Dinitroaniline Pesticide Residues in Food - Liquid Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.70 National Food Safety Standard - Determination of Trifluralin Residues in Food - Liquid Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.73 National Food Safety Standard - Determination of Rotenone and Azadirachtin Residues in Food - Liquid Chromatography-Mass Spectrometry (GC-MS/MS)

GB23200.75 National Food Safety Standard: Method for Determination of Flupyridine Residues in Food

GB23200.76 National Food Safety Standard - Determination of Flubendiamide Residues in Food - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

GB23200.82 National Food Safety Standard - Determination of Ethephon Residues in Meat and Meat Products

GB23200.83 National Food Safety Standard - Determination of Isoprotiolane Residues in Food

GB23200.104 National Food Safety Standard - Determination of 2,4-D and 2,4-D Chlorobutyric Acid Residues in Meat and Meat Products - Liquid Chromatography-Mass Spectrometry

GB23200.108 National Food Safety Standard - Determination of Glufosinate Residues in Plant-Derived Foods - Liquid Chromatography-Mass Spectrometry

GB23200.109 National Food Safety Standard - Determination of Dichloropyridine Acid Residues in Plant-Derived Foods - Liquid Chromatography-Mass Spectrometry

GB23200.110 National Food Safety Standard Determination of Chlorpyrifos Residues in Plant-Derived Foods by Liquid Chromatography-Mass Spectrometry (LC-G)

GB23200.111 National Food Safety Standard - Determination of Residues of Azoxystrobin, Sulfonamide, and Methamidophos in Plant-Derived Foods by Liquid Chromatography-Mass Spectrometry (LC-G)

GB23200.112 National Food Safety Standard - Determination of Residues of Nine Carbamate Pesticides and Their Metabolites in Plant-Derived Foods by Liquid Chromatography-Post-Column Derivatization

GB23200.113 National Food Safety Standard - Determination of Residues of 242 Pesticides and Their Metabolites in Plant-Derived Foods - Gas Chromatography-Mass Spectrometry

GB23200.115 National Food Safety Standard - Determination of Residues of Fipronil and Its Metabolites in Eggs - Liquid Chromatography-Mass Spectrometry

GB23200.116 National Food Safety Standard - Determination of Residues of 90 Organophosphorus Pesticides and Their Metabolites in Plant-Derived Foods - Gas Chromatography

GB23200.117 National Food Safety Standard - Determination of Residues of Quinoline Copper in Plant-Derived Foods - High Performance Liquid Chromatography

GB23200.118 National Food Safety Standard - Determination of Residues of Cyanamide in Plant-Derived Foods Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

GB23200.119 National Food Safety Standard - Determination of Nerein Residues of Pesticides such as Nerein in Plant-Derived Foods - Gas Chromatography

GB23200.120 National Food Safety Standard - Determination of Beetroot Residues in Plant-Derived Foods - Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

GB23200.121 National Food Safety Standard - Determination of Residues of 352 Pesticides and Their Metabolites in Plant-Derived Foods - Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

GB23200.122 National Food Safety Standard - Determination of Residues of 4 Pesticides including Glyphosate and Their Metabolites in Plant-Derived Foods **Gas Chromatography-Mass Spectrometry (GC-MS)**

GB23200.123 National Food Safety Standard - Determination of Thionyl Fluoride Residues in Plant-Derived Foods - Gas Chromatography

GB23200.124 National Food Safety Standard - Determination of Residues of Three Pesticides (Thiamethoxam, Thiazole Zinc, and Thiamine Copper) and Their Metabolites in Plant-Derived Foods - Liquid Chromatography

GB23200.125 National Food Safety Standard - Determination of Residues of Kasugamycin, Jिंगgangmycin, Ningnanmycin, and Polyoxin in Plant-Derived Foods - GC-MS

GB/T23204 Determination of Residues of 519 Pesticides and Related Chemicals in Tea - Gas Chromatography-Mass Spectrometry

GB/T23210 Determination of Residues of 511 Pesticides and Related Chemicals in Milk and Milk Powder - Gas Chromatography-Mass Spectrometry

GB/T23211 Determination of 493 Pesticide and Related Chemical Residues in Milk and Milk Powder - Liquid Chromatography-Tandem Mass Spectrometry

GB/T23376 Determination of Multiple Pesticide Residues in Tea - Gas Chromatography-Tandem Mass Spectrometry

GB/T23379 Determination of Imidacloprid Residues in Fruits, Vegetables and Tea - High Performance Liquid Chromatography

GB/T23584 Determination of Acetamiprid Residues in Fruits and Vegetables - Liquid Chromatography-Tandem Mass Spectrometry

GB/T23750 Determination of Glyphosate Residues in Plant Products - Gas Chromatography-Tandem Mass Spectrometry

GB/T23818 Determination of Imidazolinone Herbicides Residues in Soybeans

GB/T25222 Grain and Oil Inspection - Determination of Phosphate Residues in Grains - Spectrophotometry

GB29707 National Food Safety Standard - Determination of Amitraz Residue Marker Residues in Milk - Gas Chromatography

NY/T761 Determination of Multiple Residues of Organophosphorus, Organochlorine, Pyrethroid, and Carbamate Pesticides in Vegetables and Fruits

NY/T1096 Determination of Glyphosate Residues in Food

NY/T1277 Determination of Iprodione Residues in Vegetables - High Performance Liquid Chromatography

NY/T1379 Determination of Multiple Residues of 334 Pesticides in Vegetables - Gas Chromatography-Mass Spectrometry and Liquid Chromatography-Mass Spectrometry

NY/T1434 Determination of Multiple Residues of 13 Herbicides including 2,4-GD in Vegetables - Liquid Chromatography-Mass Spectrometry

NY/T1453 Determination of 16 Pesticide Residues including Carbendazim in Vegetables and Fruits - Liquid Chromatography-G4-Mass Spectrometry-G4-Mass Spectrometry

NY/T1455 Determination of Acetazol Residues in Fruits - Gas Chromatography

NY/T1456 Determination of Prochloraz Residues in Fruits - Gas Chromatography

NY/T1616 Determination of 9 Sulfonylurea Herbicides Residues in Soil NY/T1652 Determination of acaricide residues in vegetables and fruits - Gas chromatography

NY/T1679 Determination of carbamate pesticide residues in plant-based foods - Liquid chromatography-tandem mass spectrometry

NY/T1680 Determination of four benzimidazole pesticide residues, including carbendazim, in vegetables and fruits - High performance liquid chromatography

NY/T1720 Determination of seven benzoylurea pesticide residues, including chlorpyrifos, in fruits and vegetables - High performance liquid chromatography

NY/T1721 Determination of propargite residues in tea - Gas chromatography

NY/T1722 Determination of thiamethoxam residues in vegetables - High performance liquid chromatography

NY/T1725 Determination of cyromazine residues in vegetables - High performance liquid chromatography

NY/T2820 Simultaneous Determination of Residues of Five Dihydrazide Pesticides (Isoprochloraz, Tebufenozide, Methoxyfenozide, Furazolidone, and Cyclofenozide) in Plant-Based Foods - Liquid Chromatography-Mass Spectrometry

SN/T0134 Determination of Residues of 12 Carbamate Pesticides (including Carbaryl) in Imported and Exported Foods - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN0139 Test Method for Dithiocarbamate Residues in Exported Grains

SN0157 Test Method for Dithiocarbamate Residues in Exported Fruits

SN/T0162 Detection Method for Residues of Thiophanate, Thiophanate-methyl, Carbendazim, Benomyl, and Thiamethoxam in Exported Fruits - High Performance Liquid Chromatography

SN/T0192 Methods for the Determination of Bromopropylate Residues in Exported Fruits

SN/T0217 Methods for the Determination of Multiple Pyrethroid Residues in Exported Plant-Derived Foods - Gas Chromatography-Mass Spectrometry

SN/T0293 Determination of Paraquat and Diquat Residues in Exported Plant-Derived Foods - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN0523 Methods for the Determination of Acaricide Residues in Exported Fruits

SN0592 Methods for the Determination of Phenylebutane Residues in Exported Grains and Oilseeds

SN/T0654 Determination of Captan Residues in Exported Fruits - Gas Chromatography and Gas Chromatography-Mass Spectrometry/Mass Spectrometry

SN0701 Methods for the Determination of Phosphate Amine Residues in Exported Grains

SN/T0931 Methods for the Determination of Calcium Cyclosulfate Residues in Exported Grains - Liquid Chromatography

SN/T1477 Methods for the Determination of Paclobutrazol Residues in Exported Foods

SN/T1541 Methods for the Determination of Total Dithiocarbamate Residues in Exported Tea

SN/T1606 Methods for Determination of Phenoxy-carboxylic Acid Herbicides Residues in Imported and Exported Plant Products - Gas Chromatography

SN/T1923 Methods for Determination of Glyphosate Residues in Imported and Exported Food - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T1968 Methods for Determination of Prochloraz Residues in Imported and Exported Food - Gas Chromatography-Mass Spectrometry

SN/T1969 Methods for Determination of Bifenthrin Residues in Imported and Exported Food - Gas Chromatography-Mass Spectrometry

SN/T1971 Methods for Determination of Indoxacarb Residues in Imported and Exported Food - Gas Chromatography and Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T1976 Methods for Determination of Azoxystrobin Residues in Imported and Exported Fruits and Vegetables - Gas Chromatography

SN/T1986 Methods for Determination of Bromoxynil Residues in Imported and Exported Food

SN/T2095 Methods for Determination of Flufenoxuron Residues in Imported and Exported Vegetables - High Performance Liquid Chromatography

SN/T2151 Methods for Determination of Bifenthrin, Flufenoxuron, and Bifenthrin in Imported and Exported Food Detection Methods for 28 Pesticide Residues: Gas Chromatography-Mass Spectrometry

SN/T2152 Determination Method for Flufenoxuron Residues in Imported and Exported Foods - High Performance Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T2158 Determination Method for Chlorpyrifos Residues in Imported and Exported Foods

SN/T2212 Determination Method for Bensulfuron-methyl Residues in Imported and Exported Grains - Liquid Chromatography

SN/T2228 Determination Method for Residues of 31 Acidic Herbicides in Imported and Exported Foods - Gas Chromatography-Mass Spectrometry

SN/T2233 Determination Method for Cypermethrin Residues in Exported Foods

SN/T2234 Determination Method for Profenofos Residues in Imported and Exported Foods - Gas Chromatography and Gas Chromatography-Mass Spectrometry

SN/T2320 Determination Method for Residues of Chlorothalonil, Benflufenamide, Mebendazole, Chlorpyrifos, Captan, Dichlorvos, and Tetrabromopropylate in Imported and Exported Foods - Gas Chromatography-Mass Spectrometry

SN/T2324 Methods for Determination of Residues of 33 Organophosphorus Pesticides including Phosphatidylcholine, Chlorpyrifos, and Methyl Chlorpyrifos in Imported and Exported Food

SN/T2325 Methods for Determination of Residues of 45 Pesticides including Tetraazolidinone, Toluenesulfuron, and Ethersulfuron in Imported and Exported Food (High Performance Liquid Chromatography-Mass Spectrometry/Mass Spectrometry)

SN/T2397 Methods for Determination of Nicotine Residues in Imported and Exported Food

SN/T2432 Methods for Determination of Pyridaben Residues in Imported and Exported Food

SN/T2540 Determination of Benzoylurea Pesticide Residues in Imported and Exported Food (Liquid Chromatography-Mass Spectrometry/Mass Spectrometry)

SN/T2560 Determination of Carbamate Pesticide Residues in Imported and Exported Food (Liquid Chromatography-Mass Spectrometry/Mass Spectrometry)

SN/T2915 Methods for Determination of Residues of 160 Pesticides including Metolachlor, Acetochlor, and Methoxyfenozide in Exported Food Methods for detecting residual amounts: Gas chromatography-mass spectrometry

SN/T2917 Determination of Dimethomorph Residues in Exported Food

SN/T3539 Determination of Butoxyfenozide in Exported Food

SN/T3726 Determination of Azoxystrobin Residues in Exported Food

SN/T3768 Determination of Multiple Organophosphorus Pesticide Residues in Exported Grains - Gas Chromatography-Mass Spectrometry

SN/T3769 Determination of Trichlorfon and Phoxim Residues in Exported Grains - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T3852 Determination of Cyfluthrin Residues in Exported Food - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T3860 Determination of Pymetrozine Residues in Exported Food - Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T3862 Screening Determination of Nerein Residues in Exported Food - Gas Chromatography

SN/T4045 Determination of Mesotrione Residues in Exported Food Liquid Chromatography-Mass Spectrometry (LC-MS/MS)

SN/T4066 Determination of Residues of Acaricide and Hydroxycaricide in Exported Foods LC-MS/MS

SN/T4138 Screening and Detection of 88 Pesticide Residues including Dichlorvos, Tetrachloronitrobenzene, and Propylene Chloride in Exported Fruits and Vegetables QuEChG-ERSG Gas Chromatography-Negative Chemical Source Mass Spectrometry

SN/T4264 Detection Method for Residues of Metaldehyde in Exported Foods Gas Chromatography-Mass Spectrometry (GC-MS)

SN/T4558 Determination of Contents of Tricyclic Tin (Triazole Tin) and Benzotin in Exported Foods

SN/T4586 Detection Method for Residues of Thiazirone in Exported Foods High Performance Liquid Chromatography (HPLC)

SN/T4591 Determination of Residues of 60 Pesticides including Abscisic Acid in Exported Fruits and Vegetables LC-MS/MS

SN/T4850 Determination of Residues of Glufosinate and its Metabolites in Exported Foods Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T4891 Determination of Spirotetracycline Residues in Exported Foods - High Performance Liquid Chromatography and Liquid Chromatography-Mass Spectrometry/Mass Spectrometry

SN/T5221 Determination of Chlorantraniliprole Residues in Exported Plant-Derived Foods

YC/T180 Determination of Toxaphene Pesticide Residues in Tobacco and Tobacco Products - Gas Chromatography

3. Terms and Definitions

The following terms and definitions apply to this document.

3.1 Residue Definition:

Any specific substance present in food, agricultural products, and animal feed due to the use of pesticides, including pesticide derivatives considered toxicologically significant, such as pesticide metabolites, reaction products, and impurities.

3.2 Maximum Residue Limit (MRL):

The legally permitted maximum concentration of a pesticide in the interior or surface of food or agricultural products, expressed in milligrams per kilogram of food or agricultural product (mg/kg).

3.3 Extraneous Maximum Residue Limit (EMRL):

Some persistent pesticides, although banned, remain in the environment for a long time, thus forming residues again in food. To control these pesticide residues, [EMRL is required]. The limits for pesticide residues in food are set to prevent contamination of food products. These limits are expressed in milligrams per kilogram of food or agricultural product (mg/kg)

3.4 acceptable daily intake (ADI)

An estimate of the amount of a substance in food or drinking water, expressed on a body weight basis (mg/kg bw), that can be ingested daily over a lifetime without appreciable health risk.

4 Technical Requirements

4.1 2,4-DB and 2,4-D dichlorophenoxybutyric acid salt (2,4-DB and 2,4-D dichlorophenoxybutyric acid salt)

4.1.1 Main use: Herbicide.

4.1.2 ADI: 0.02 mg/kg bw.

4.1.3 Residue definition: Sum of 2,4-DB and its free and conjugated forms, expressed as 2,4-DB.

4.1.4 Maximum Residue Limits: Shall comply with Table 1.

Table 1

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	0.05
Brown rice	0.05
Seasonings	
Mint	0.2*
Spearmint	0.2*
Pepper	0.2*
*This limit is a temporary limit.	

4.1.5 Detection method: For cereals, determine according to the method specified in SN/T 2228.

4.2 2,4-D butylate (2,4-D butylate)

4.2.1 Main use: Herbicide.

4.2.2 ADI: 0.01 mg/kg bw.

4.2.3 Residue definition: 2,4-D butylate.

4.2.4 Maximum Residue Limits: Shall comply with Table 2.

Table 2

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	0.05
Corn	0.05
Oilseeds and Oils	
Soybean	0.05
Sugar Crops	
Sugarcane	0.05

4.2.5 Detection method: For cereals, determine according to the methods specified in GB/T 5009.165, GB/T 5009.175; for oils and oilseeds, refer to the method specified in GB/T 5009.165; for sugar crops, refer to the method specified in GB/T 5009.175.

4.3 2,4-D dimethyl amine salt (2,4-D dimethyl amine salt)

4.3.1 Main use: Herbicide.

4.3.2 ADI: 0.01 mg/kg bw.

4.3.3 Residue definition: 2,4-D.

4.3.4 Maximum Residue Limits: Shall comply with Table 3.

Table 3

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	0.05
Wheat	2
Corn	0.1
Fresh corn	0.1
Brown rice	0.05
Fruits	
Mandarin orange	0.1
Orange	0.1

Food Category/Name	Maximum Residue Limit (mg/kg)
Orange	0.1

4.3.5 Detection method: For cereals and fruits, refer to the method specified in NY/T 1434.

4.4 2,4G Drip and 2,4G Drip Sodium Salt (2,4GD and 2,4GDNa)

4.4.1 Main Use: Herbicide.

4.4.2 ADI: 0.01 mg/kgbw.

4.4.3 Residue: 2,4G Drip.

4.4.4 Maximum Residue Limit: Should comply with the provisions of Table 4.

Table 4

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	2
Rye	2
Corn	0.1
Fresh corn	0.1
Sorghum	0.01
Oilseeds and Oils	
Soybean	0.01
Vegetables	
Chinese cabbage	0.2
Tomato	0.5
Eggplant	0.1
Pepper	0.1
Potato	0.2
Corn shoot	0.05
Fruits	
Citrus fruits (except mandarin orange, orange)	1
Mandarin orange	0.1
Orange	0.1
Orange	0.1
Pome fruits	0.01

Food Category/Name	Maximum Residue Limit (mg/kg)
Stone fruits	0.05
Berries and other small fruits	0.1
Nuts	0.2
Sugar Crops	
Sugarcane	0.05
Edible Fungi	
Mushrooms (fresh)	0.1
Mammalian meat (except marine mammals)	0.2*
Mammalian offal (except marine mammals)	5*
Poultry meat	0.05*
Poultry offal	0.05*
Eggs	0.01*
Raw milk	0.01*
*This limit is a temporary limit.	

4.12 Abamectin

4.12.1 Main Use: Insecticide.

4.12.2 ADI: 0.001 mg/kgbw.

4.12.3 Residue: Avermectin B1a.

4.12.4 Maximum Residue Limit: Should comply with the provisions of Table 12.

Table 12

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	0.2

4.22 Chlorothalonil

4.22.1 Main use: Fungicide.

4.22.2 ADI: 0.02 mg/kg bw.

4.22.3 Residue definition: For plant-derived food: chlorothalonil; For animal-derived food: 4-hydroxy-2,5,6-trichloroisophthalonitrile.

4.22.4 Maximum Residue Limits: Shall comply with Table 22.

Table 22

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	0.2
Wheat	0.1
Fresh corn	5
Miscellaneous grains (except mung bean, red bean)	1
Mung bean	0.2
Red bean	0.2
Oilseeds and Oils	
Soybean	0.2
Peanut kernel	0.05
Vegetables	
Garlic	0.5
Onion	10
Scallion	10
Garlic sprout	2
Lily (fresh)	0.05
Brussels sprouts	6
Head-forming brassica vegetables (except cauliflower, Chinese kale, flowering cabbage)	5
Cauliflower	10
Chinese kale	15
Flowering cabbage	30
Spinach	5
Pakchoi	5
Water spinach	10
Lettuce (leaf)	5
Celery	5
Chinese cabbage	5
Tomato	5
Cherry tomato	7
Eggplant	5

Food Category/Name	Maximum Residue Limit (mg/kg)
Pepper	5
Sweet pepper	5
Cucumber	5
Gherkin	3
Zucchini	5
Chieh-qua	5
Bitter gourd	5
Luffa	5
Winter gourd	5
Pumpkin	5
Summer squash	5
Cowpea	5
Kidney bean	5
Edible-podded pea	7
Vegetable soybean	2
Root vegetables (except radish)	0.3
Radish	2
Potato	0.2
Fruits	
Mandarin orange	1
Orange	1
Orange	1
Apple	1
Pear	1
Peach	0.2
Cherry	0.5
Bilberry	5
Gooseberry	20
Grape	10
Strawberry	5
Lychee	0.2
Banana	0.2
Currant	20

Food Category/Name	Maximum Residue Limit (mg/kg)
Wolfberry (fresh)	10
Papaya	20
Watermelon	5
Melons	5
Nuts	
Pistachio	0.3*
Sugar Crops	
Beet	50
Beverages	
Tea	10
Edible Fungi	
Mushrooms (fresh)	5
Seasonings	
Dried chilli	70
Wasabi	1
Medicinal Plants	
Ginseng (fresh)	2
Ginseng (dried)	2
Notoginseng root (dried)	10
Notoginseng fibrous root (dried)	10
Lily bulb (dried)	0.05
Wolfberry (dried)	20
Mammalian meat (except marine mammals)	0.02*
Mammalian offal (except marine mammals)	0.2*
Mammalian fat (except milk fat)	0.07*
Poultry meat	0.01*
Poultry offal	0.07*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.07*
* This limit is a temporary limit.	

4.23 Azinphos-methyl

4.23.1 Main use: Insecticide.

4.23.2 ADI: 0.03 mg/kg bw.

4.23.3 Residue definition: Azinphos-methyl.

4.23.4 Maximum Residue Limits: Shall comply with Table 23.

Table 23

Food Category/Name	Maximum Residue Limit (mg/kg)
Oilseeds and Oils	
Cottonseed	0.2
Soybean	0.05
Vegetables	
Vegetables (except cauliflower, broccoli, tomato, sweet pepper, cucumber, potato)	0.5
Cauliflower	1
Broccoli	1
Tomato	1
Sweet pepper	1
Cucumber	0.2
Potato	0.05
Fruits	
Fruits (except apple, pear, peach, cherry, nectarine, plum, blueberry, bilberry, watermelon, melons)	1
Apple	2
Pear	2
Peach	2
Cherry	2
Nectarine	2
Plum	2
Blueberry	5
Bilberry	0.1
Watermelon	0.2
Melons	0.2
Dried Fruits	
Dried plum	2

Food Category/Name	Maximum Residue Limit (mg/kg)
Nuts	
Almond	0.05
Pecan	0.3
Sugar Crops	
Sugarcane	0.2
Seasonings	
Seasonings (except Dried chilli)	0.5
Dried chilli	10

4.25 Benzovindiflupyr

4.25.1 Main Uses: Fungicide.

4.25.2 ADI: 0.05 mg/kgbw.

4.25.3 Residue: Benzovindiflupyr.

4.25.4 Maximum Residue Limits: Should comply with the provisions of Table 25.

Table 25

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	9
* This limit is a temporary limit.	

4.25.5 Detection method: For cereals, oilseeds and oils, vegetables, fruits, dried fruits, sugar crops, beverages, and seasonings, determine according to the method specified in GB 23200.121.

4.26 Fenbutatin oxide

4.26.1 Main use: Acaricide.

4.26.2 ADI: 0.03 mg/kg bw.

4.26.3 Residue definition: Fenbutatin oxide.

4.26.4 Maximum Residue Limits: Shall comply with Table 26.

Table 26

Food Category/Name	Maximum Residue Limit (mg/kg)
Vegetables	

Food Category/Name	Maximum Residue Limit (mg/kg)
Tomato	1
Cucumber	0.5
Fruits	
Mandarin orange	1
Orange	1
Orange	5
Lemon	5
Pomelo	5
Bergamot	5
Kumquat	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Durian	5
Peach	7
Plum	3
Cherry	10
Grape	5
Strawberry	10
Banana	10
Dried Fruits	
Dried citrus pulp	25
Dried plum	10
Raisin	20
Nuts	
Almond	0.5
Walnut	0.5
Pecan	0.5
Mammalian meat (except marine mammals)	0.05
Mammalian offal (except marine mammals)	0.2
Poultry meat	
Chicken meat	0.05
Poultry offal	

Food Category/Name	Maximum Residue Limit (mg/kg)
Chicken offal	0.05
Eggs	0.05
Raw milk	0.05

4.26.5 Detection method: For vegetables, fruits, dried fruits, and nuts, refer to the method specified in SN 0592; for mammalian meat (except marine mammals), mammalian offal (except marine mammals), poultry meat, poultry offal, and eggs, determine according to the method specified in SN/T 4558; for raw milk, refer to the method specified in SN/T 4558.

4.27 Dichlofluanid

4.27.1 Main use: Fungicide.

4.27.2 ADI: 0.3 mg/kg bw.

4.27.3 Residue definition: Dichlofluanid.

4.27.4 Maximum Residue Limits: Shall comply with Table 27.

Table 27

Food Category/Name	Maximum Residue Limit (mg/kg)
Pepper	2
Cucumber	5
Potato	0.1
Fruits	
Apple	5
Pear	5
Peach	5
Currant	15
Raspberry	7
Gooseberry	15
Grape	15
Strawberry	10
Seasonings	
Dried chilli	20

4.27.5 Detection method: For vegetables, fruits, and seasonings, refer to the method specified in SN/T 2320.

4.28 Tribenuron-methyl

4.28.1 Main use: Herbicide.

4.28.2 ADI: 0.01 mg/kg bw.

4.28.3 Residue definition: Tribenuron-methyl.

4.28.4 Maximum Residue Limit: Shall comply with Table 28.

Table 28

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	0.05

4.28.5 Detection method: For cereals, determine according to the methods specified in GB 23200.121 and SN/T 2325.

4.29 Benomyl

4.29.1 Main use: Fungicide.

4.29.2 ADI: 0.1 mg/kg bw.

4.29.3 Residue definition: Sum of benomyl and carbendazim, expressed as carbendazim.

4.29.4 Maximum Residue Limits: Shall comply with Table 29.

Table 29

Food Category/Name	Maximum Residue Limit (mg/kg)
Vegetables	
Asparagus	0.5
Fruits	
Mandarin orange	5
Orange	5
Orange	5
Apple	5
Pear	3
Banana	2

4.29.5 Detection method: For vegetables and fruits, refer to the method specified in SN/T 0162.

4.30 Metrafenone

4.30.1 Main use: Fungicide.

4.30.2 ADI: 0.3 mg/kg bw.

4.30.3 Residue definition: Metrafenone.

4.30.4 Maximum Residue Limits: Shall comply with Table 30.

Table 30

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	0.06
Barley	0.5
Oat	0.5
Rye	0.06
Triticale	0.06
Whole wheat flour	0.08
Vegetables	
Tomato	0.4
Eggplant	0.6
Pepper	2
Sweet pepper	2
Cucurbit vegetables (except cucumber, gherkin, zucchini)	0.5
Cucumber	0.2
Gherkin	0.2
Zucchini	0.06
Pea	0.05
Fruits	
Pome fruits	1
Peach	0.7
Nectarine	0.7
Apricot	0.7
Cherry	2
Grape	5
Strawberry	0.6
Melon fruits	0.5
Dried Fruits	
Raisin	20
Edible Fungi	
Mushrooms (fresh)	0.5
Seasonings	
Dried chilli	20

Food Category/Name	Maximum Residue Limit (mg/kg)
Mammalian meat (except marine mammals)	0.01*
Mammalian offal (except marine mammals)	0.01*
Mammalian fat (except milk fat)	0.01*
Poultry meat	0.01*
Poultry offal	0.01*
Poultry fat	0.01*
Eggs	0.01*
Raw milk	0.01*
* This limit is a temporary limit.	

4.30.5 Detection method: For cereals, vegetables, fruits, dried fruits, edible fungi, and seasonings, determine according to the method specified in GB 23200.121.

4.33 Difenoconazole

4.33.1 Main use: Fungicide.

4.33.2 ADI: 0.01 mg/kg bw.

4.33.3 Residue definition: For plant-derived food: difenoconazole; for animal-derived food: sum of difenoconazole and 1-[2-chloro-4-(4-chlorophenoxy)phenyl]-2-(1,2,4-triazol-1-yl)ethanol, expressed as difenoconazole.

4.33.4 Maximum Residue Limits: Shall comply with Table 33.

Table 33

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	0.1
Corn	0.1
Sorghum	0.5
Miscellaneous grains (except mung bean)	0.02
Mung bean	0.2
Brown rice	0.5
Oilseeds and Oils	
Rapeseed	0.05
Sesame	2
Cottonseed	0.1

Food Category/Name	Maximum Residue Limit (mg/kg)
Soybean	0.05
Peanut kernel	0.2
Sunflower seed	0.02
Vegetables	
Garlic	0.2
Onion	0.5
Scallion	2
Leek	0.3
Lily (fresh)	0.05
Cabbage	0.2
Brussels sprouts	0.2
Cauliflower	0.2
Broccoli	0.5
Spinach	10
Lettuce (leaf)	2
Lettuce (head)	2
Celtuce (leaf)	10
Celery	3
Chinese cabbage	1
Solanaceous fruits vegetables (except tomato, pepper)	0.6
Tomato	0.5
Pepper	1
Cucumber	1
Gherkin	0.2
Zucchini	0.3
Bitter gourd	1
Luffa	0.5
Winter gourd	0.1
Pumpkin	1
Kidney bean	0.5
Edible-podded pea	0.7
Pea	0.15
Asparagus	0.03

Food Category/Name	Maximum Residue Limit (mg/kg)
Artichoke	1.5
Carrot	0.2
Root celery	0.5
Ginger	0.3
Potato	0.02
Sweet potato	0.1
Watercress	15
Water bamboo	0.03
Fruits	
Citrus fruits (except mandarin orange, orange)	0.6
Mandarin orange	0.2
Orange	0.2
Orange	0.2
Apple	0.5
Pear	0.5
Hawthorn	0.5
Loquat	5
Orange (orange)	0.5
Peach	0.5
Nectarine	0.5
Apricot	0.5
Jujube (fresh)	5
Plum	0.2
Cherry	0.2
Wolfberry (fresh)	2
Blueberry	5
Grape	0.5
Kiwifruit	5
Passion fruit	0.05
Strawberry	3
Waxberry	5
Olive	2
Wax apple	0.5

Food Category/Name	Maximum Residue Limit (mg/kg)
Lychee	0.5
Mango	0.2
Pomegranate	0.1
Avocado	0.6
Banana	1
Papaya	0.2
Pineapple	0.2
Dragon fruit	2
Melon fruits (except watermelon, melon)	0.7
Watermelon	0.1
Melon	0.5
Dried Fruits	
Dried plum	0.2
Raisin	6
Nuts	
Nuts	0.03
Hazelnut	0.1
Sugar Crops	
Beet	0.2
Beverages	
Tea	10
Coffee bean	0.01
Jasmine flower (dried)	2
Seasonings	
Dried chilli	5
Medicinal Plants	
Ginseng (dried)	0.5
Notoginseng root (dried)	5
Notoginseng fibrous root (dried)	5
Lily bulb (dried)	0.05
Dendrobium (fresh)	1
Dendrobium (dried)	2
Notoginseng flower (dried)	10

Food Category/Name	Maximum Residue Limit (mg/kg)
Mammalian meat (except marine mammals), calculated based on residue in fat	0.2
Mammalian offal (except marine mammals)	1.5
Poultry meat, calculated based on residue in fat	0.01
Poultry offal	0.01
Eggs	0.03
Raw milk	0.02

4.46 Pyriproxyfen

4.46.1 Main use: Insecticide.

4.46.2 ADI: 0.1 mg/kg bw.

4.46.3 Residue definition: Pyriproxyfen.

4.46.4 Maximum Residue Limits: Shall comply with Table 46.

Table 46

Food Category/Name	Maximum Residue Limit (mg/kg)
Oilseeds and Oils	
Cottonseed	0.05
Crude cottonseed oil	0.01
Cottonseed oil	0.01
Vegetables	
Scallion	0.1
Cabbage	3
Chinese kale	0.5
Tomato	1
Eggplant	0.6
Pepper	0.6
Cucumber	0.05
Gherkin	0.04
Zucchini	0.04
Ginger	0.7
Fruits	

Food Category/Name	Maximum Residue Limit (mg/kg)
Citrus fruits (except mandarin orange, orange)	0.5
Mandarin orange	2
Orange	2
Orange	2
Papaya	0.3
Pineapple	0.01
Melons	0.07
Seasonings	
Dried chilli	6
Mammalian meat (except marine mammals), calculated based on residue in fat	
Beef	0.01
Goat meat	0.01
Mammalian offal (except marine mammals)	
Bovine offal	0.01
Caprine offal	0.01

4.48 Imidacloprid

4.48.1 Main Use: Insecticide.

4.48.2 ADI: 0.06 mg/kgbw.

4.48.3 Residues: Imidacloprid for plant-derived foods; the sum of imidacloprid and its metabolites containing 6g chloro-g pyridine groups for animal-derived foods, expressed as imidacloprid.

4.48.4 Maximum Residue Limits: Should comply with the provisions of Table 48.

Table 48

Food Category/Name	Maximum Residue Limit (mg/kg)
Soybean	0.05
Peanut kernel	0.5
Sunflower seed	0.05
Olive	2
Vegetables	

Food Category/Name	Maximum Residue Limit (mg/kg)
Garlic	0.1
Onion	0.1
Chinese chive	1
Scallion	2
Green garlic	0.5
Garlic sprout	0.5
Cabbage	1
Brussels sprouts	0.5
Kale	5
Cauliflower	1
Broccoli	1
Chinese kale	1
Flowering cabbage	0.5
Spinach	5
Pakchoi	0.5
Edible amaranth	10
Water spinach	1
Crown daisy	5
Lettuce (leaf)	1
Lettuce (head)	2
Celtuce (leaf)	1
Radish leaf	5
Sweet potato leaf	0.2
Celery	5
Chinese cabbage	0.2
Tomato	1
Eggplant	1
Pepper	1
Sweet pepper	0.2
Okra	3
Cucumber	1
Zucchini	1

Food Category/Name	Maximum Residue Limit (mg/kg)
Chieh-qua	0.5
Bitter gourd	0.1
Luffa	0.5
Winter gourd	0.1
Pumpkin	0.1
Legume vegetables (except kidney bean, edible-podded pea, vegetable soybean, broad bean, and pea)	2
Kidney bean	0.1
Edible-podded pea	0.5
Vegetable soybean	0.1
Broad bean	0.5
Pea	0.5
Asparagus	0.2
Artichoke	0.3
Root vegetables (except carrot)	0.5
Carrot	0.2
Potato	0.5
Sweet potato	0.1
Water bamboo	0.5
Lotus seed (fresh)	0.05
Lotus root	0.05
Daylily (fresh)	0.3
Bamboo shoot	0.1
Dried Vegetables	
Daylily (dried)	0.3
Fruits	
Mandarin orange	1
Orange	1
Orange	1
Lemon	2
Pomelo	1
Bergamot	1
Kumquat	1

Food Category/Name	Maximum Residue Limit (mg/kg)
Apple	0.5
Pear	0.5
Peach	0.5
Nectarine	0.5
Apricot	0.5
Jujube (fresh)	5
Plum	0.2
Cherry	0.5
Berries and other small fruits (except bilberry, grape, kiwifruit, strawberry)	5
Bilberry	0.05
Grape	1
Kiwifruit	2
Strawberry	0.5
Olive	2
Mango	0.2
Pomegranate	1
Guava	2
Banana	0.05
Papaya	1
Melon fruits (except melon)	0.2
Melon	0.1
Dried Fruits	
Dried citrus pulp	10
Dried plum	5
Nuts	
Nuts	0.01
Sugar Crops	
Sugarcane	0.2
Beverages	
Tea	0.5
Coffee bean	1
Hop	10

Food Category/Name	Maximum Residue Limit (mg/kg)
Chrysanthemum (fresh)	1
Chrysanthemum (dried)	2
Edible Fungi	
Button mushroom (fresh)	2
Seasonings	
Leaf seasonings (except basil)	7
Basil	20
Dried chilli	10
Medicinal Plants	
Fritillary bulb (fresh)	0.05
Fritillary bulb (dried)	0.2
Dendrobium (fresh)	2
Dendrobium (dried)	3
Wolfberry (dried)	1
Honeysuckle	1
Mammalian meat (except marine mammals)	0.1*
Mammalian offal (except marine mammals)	0.3*
Poultry meat	0.02*
Poultry offal	0.05*
Eggs	0.02*
Raw milk	0.1*
* This limit is a temporary limit.	

4.48.5 Detection method: For cereals, oilseeds and oils, nuts, beverages, and medicinal plants, determine according to the method specified in GB 23200.121; for vegetables, dried vegetables, fruits, dried fruits, sugar crops, edible fungi, and seasonings, determine according to the methods specified in GB 23200.121 and GB/T 23379.

4.52 Penthiopyrad

4.52.1 Main Uses: Fungicide.

4.52.2 ADI: 0.1 mg/kgbw.

4.52.3 Residues: For plant-derived foods, the residue is penthiopyrad; for animal-derived foods, the residue is the sum of penthiopyrad and its metabolites 1g methyl, 3g (trifluoromethyl), 1Hg pyrazole, 4g formamide, expressed as penthiopyrad.

4.52.4 Maximum Residue Limits: Should comply with the provisions of Table 52.

Table 52

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	0.1
Barley	0.2
Oat	0.2
Rye	0.1
Triticale	0.1
Corn	0.01
Fresh corn	0.02
Sorghum	0.8
Millet	0.8
Miscellaneous grains	3
Corn flour	0.05
Wheat germ	0.2
Oilseeds and Oils	
Rapeseed	0.5
Cottonseed	0.5
Soybean	0.3
Peanut kernel	0.05
Sunflower seed	1.5
Crude rapeseed oil	1
Crude corn oil	0.15
Rapeseed oil	1
Peanut oil	0.5
Vegetables	
Onion	0.7
Scallion	4
Cabbage	4
Head-forming brassica vegetables	5

Food Category/Name	Maximum Residue Limit (mg/kg)
Solanaceous fruits vegetables	2
Cucurbit vegetables	0.5
Legume vegetables	0.3
Radish	3
Carrot	0.6
Potato	0.05
Corn shoot	0.02
Fruits	
Pome fruits	0.4
Stone fruits	4
Grape	1
Strawberry	3
Melon fruits	0.5
Nuts	
Nuts	0.05
Sugar Crops	
Beet	0.5
Seasonings	
Dried chilli	14
Mammalian meat (except marine mammals)	0.04*
Mammalian offal (except marine mammals)	0.08*
Mammalian fat (except milk fat)	0.05*
Poultry meat	0.03*
Poultry offal	0.03*
Poultry fat	0.03*
Eggs	0.03*
Raw milk	0.04*
* This limit is a temporary limit.	

4.66 Propineb

4.66.1 Main use: Fungicide.

4.66.2 ADI: 0.007 mg/kg bw.

4.66.3 Residue definition: Dithiocarbamates (or esters), expressed as carbon disulfide.

4.66.4 Maximum Residue Limits: Shall comply with Table 66.

Table 66

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	2
Corn	0.1
Fresh corn	1
Brown rice	1
Vegetables	
Garlic	0.5
Onion	0.5
Scallion	0.5
Leek	0.5
Chinese cabbage	50
Tomato	5
Sweet pepper	2
Cucumber	5
Zucchini	3
Bitter gourd	5
Pumpkin	0.2
Summer squash	0.1
Asparagus	2
Stem lettuce	30
Carrot	5
Potato	0.5
Corn shoot	0.1
Fruits	
Mandarin orange	5
Orange	5
Orange	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5

Food Category/Name	Maximum Residue Limit (mg/kg)
Orange (orange)	5
Stone fruits (except cherry)	7
Cherry	0.2
Bilberry	5
Grape	5
Strawberry	5
Lychee	5
Mango	5
Banana	1
Papaya	5
Watermelon	1
Melon	3
Nuts	
Almond	0.1
Pecan	0.1
Sugar Crops	
Beet	0.5
Seasonings	
Leaf seasonings	5
Dried chilli	10
Pepper	0.1
Cardamom	0.1
Cumin	10
Fennel seed	0.1
Coriander seed	0.1
Medicinal Plants	
Notoginseng root (dried)	3
Notoginseng fibrous root (dried)	3
Ginseng (fresh)	0.3

4.66.5 Detection method: For cereals, determine according to the method specified in SN 0139; for vegetables, fruits, sugar crops, and seasonings, refer to the methods specified in SN 0139, SN 0157, and SN/T 1541; for nuts and medicinal plants, refer to the methods specified in SN 0157 and SN/T 1541.

4.67 Profenofos

4.67.1 Main use: Insecticide.

4.67.2 ADI: 0.03 mg/kg bw.

4.67.3 Residue definition: Profenofos.

4.67.4 Maximum Residue Limits: Shall comply with Table 67.

Table 67

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Brown rice	0.02
Oilseeds and Oils	
Cottonseed	1
Cottonseed oil	0.05
Vegetables	
Cabbage	0.5
Cauliflower	2
Broccoli	2
Chinese kale	2
Flowering cabbage	10
Pakchoi	5
Radish leaf	5
Chinese cabbage	2
Tomato	10
Pepper	3
Radish	1
Potato	0.05
Sweet potato	0.05
Fruits	
Mandarin orange	0.2
Orange	0.2
Orange	0.2
Apple	0.05
Mulberry	0.1
Mango	0.2

Food Category/Name	Maximum Residue Limit (mg/kg)
Mangosteen	10
Beverages	
Tea	0.5
Seasonings	
Dried chilli	20
Fruit seasonings	0.07
Cardamom	3
Cumin	5
Fennel seed	0.1
Amaranth seed	0.1
Root seasonings	0.05
Mammalian meat (except marine mammals), calculated based on residue in fat	0.05
Mammalian offal (except marine mammals)	0.05
Poultry meat	0.05
Poultry offal	0.05
Eggs	0.02
Raw milk	0.01

4.67.5 Detection method: For cereals, determine according to the methods specified in GB 23200.113, GB 23200.116, GB 23200.121, and SN/T 2234; for oilseeds and oils, and seasonings, determine according to the methods specified in GB 23200.113, GB 23200.116, and GB 23200.121; for vegetables and fruits, determine according to the methods specified in GB 23200.113, GB 23200.116, GB 23200.121, NY/T 761, and SN/T 2234; for tea, determine according to the methods specified in GB 23200.13 and GB 23200.113; for animal-derived food, refer to the method specified in SN/T 2234.

4.75 Chlorfenapyr

4.75.1 Main use: Insecticide.

4.75.2 ADI: 0.03 mg/kg bw.

4.75.3 Residue definition: Chlorfenapyr.

4.75.4 Maximum Residue Limits: Shall comply with Table 75.

Table 75

Food Category/Name	Maximum Residue Limit (mg/kg)
Oilseeds and Oils	
Soybean	0.08
Crude soybean oil	0.4
Vegetables	
Cabbage	1
Cauliflower	2
Chinese kale	0.1
Flowering cabbage	10
Pakchoi	10
Chinese cabbage	2
Tomato	0.4
Eggplant	1
Pepper	0.3
Cucumber	0.5
Chieh-qua	0.5
Kidney bean	1
Radish	1
Root mustard	2
Ginger	0.5
Fruits	
Mandarin orange	1
Orange	1
Orange	1
Lemon	0.8
Bergamot	0.8
Apple	1
Pear	1
Mulberry	2
Kiwifruit	7
Papaya	0.3
Dragon fruit	0.7
Melons	0.4
Beverages	

Food Category/Name	Maximum Residue Limit (mg/kg)
Tea	20
Seasonings	
Dried chilli	3

4.75.5 Detection method: For oilseeds and oils, and seasonings, determine according to the method specified in GB 23200.113; for vegetables and fruits, determine according to the methods specified in GB 23200.8, GB 23200.113, NY/T 1379, and SN/T 1986; for tea, determine according to the methods specified in GB 23200.113 and GB/T 23204.

4.76 Tebufenozide

4.76.1 Main use: Insecticide.

4.76.2 ADI: 0.02 mg/kg bw.

4.76.3 Residue definition: Tebufenozide.

4.76.4 Maximum Residue Limits: Shall comply with Table 76.

Table 76

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	5
Brown rice	2
Oilseeds and Oils	
Rapeseed	2
Vegetables	
Scallion	10
Lily (fresh)	0.05
Cabbage	1
Cauliflower	10
Broccoli	0.5
Chinese kale	10
Flowering cabbage	10
Leaf vegetables (except stem lettuce leaf and Chinese cabbage)	10
Stem lettuce leaf	20

Food Category/Name	Maximum Residue Limit (mg/kg)
Chinese cabbage	0.5
Tomato	1
Pepper	1
Sweet pepper	7
Okra	3
Stem lettuce	5
Radish	2
Carrot	5
Turnip	1
Fruits	
Citrus fruits	2
Pome fruits (except apple)	1
Apple	3
Peach	0.5
Nectarine	0.5
Blueberry	3
Bilberry	0.5
Gooseberry	2
Grape	2
Kiwifruit	0.5
Avocado	1
Papaya	2
Melon	2
Dried Fruits	
Raisin	2
Nuts	
Almond	0.05
Walnut	0.05
Pecan	0.01
Sugar Crops	
Sugarcane	1
Seasonings	
Mint	20

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	10
Medicinal Plants	
Lily bulb (dried)	0.1
Mammalian meat (except marine mammals), calculated based on residue in fat	0.05
Mammalian offal (except marine mammals)	0.02
Poultry meat	0.02
Eggs	0.02
Raw milk	
Raw milk (except cow milk)	0.01
Cow milk	0.05

4.76.5 Detection method: For cereals, oilseeds and oils, vegetables, fruits, dried fruits, nuts, sugar crops, seasonings, and medicinal plants, determine according to the method specified in GB 23200.121; for animal-derived food, refer to the method specified in GB/T 23211.

4.78 Pyrethrins

4.78.1 Main Uses: Insecticide.

4.78.2 ADI: 0.04 mg/kgbw.

4.78.3 Residue: Sum of pyrethrin I and pyrethrin II.

4.78.4 Maximum Residue Limits: Should comply with the provisions of Table 78.

Table 78

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	0.3
Wheat	0.3
Corn	0.3
Sorghum	0.3
Millet	0.3
Miscellaneous grains	0.1
Oilseeds and Oils	
Peanut kernel	0.5

Food Category/Name	Maximum Residue Limit (mg/kg)
Vegetables	
Cabbage	1
Cauliflower	1
Broccoli	1
Chinese kale	2
Spinach	5
Pakchoi	5
Crown daisy	5
Lettuce (leaf)	5
Celtuce (leaf)	1
Radish leaf	1
Turnip leaf	1
Celery	1
Fennel	1
Chinese cabbage	1
Solanaceous fruits vegetables	0.05
Root and tuber vegetables (except radish, carrot, turnip)	0.05
Radish	1
Carrot	1
Turnip	1
Fruits	
Citrus fruits	0.05
Wolfberry (fresh)	0.5
Dried Fruits	0.2
Nuts	0.5
Seasonings	
Leaf seasonings	1
Dried chilli	0.5
Medicinal Plants	
Wolfberry (dried)	0.5

4.78.5 Detection method: For cereals, oilseeds and oils, vegetables, fruits, dried fruits, nuts, seasonings, and medicinal plants, determine according to the method specified in GB 23200.121.

4.79 Diflubenzuron

4.79.1 Main Uses: Insecticide.

4.79.2 ADI: 0.02 mg/kgbw.

4.79.3 Residue: Diflubenzuron.

4.79.4 Maximum Residue Limits: Should comply with the provisions of Table 79.

Table 79

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	0.01
Wheat	0.2
Barley	0.05
Oat	0.05
Triticale	0.05
Corn	0.2
Oilseeds and Oils	
Cottonseed	0.2
Peanut kernel	0.1
Vegetables	
Cabbage	2
Cauliflower	1
Broccoli	3
Chinese kale	2
Flowering cabbage	7
Spinach	1
Pakchoi	1
Lettuce (leaf)	1
Leaf mustard	10
Radish leaf	7
Chinese cabbage	1
Pepper	3
Sweet pepper	0.7
Radish	1
Fruits	

Food Category/Name	Maximum Residue Limit (mg/kg)
Citrus fruits (except mandarin orange, orange, lemon, pomelo)	0.5
Mandarin orange	1
Orange	1
Orange	1
Lemon	1
Pomelo	1
Apple	5
Pear	1
Hawthorn	5
Loquat	5
Orange (orange)	5
Peach	0.5
Nectarine	0.5
Plum	0.5
Lychee	0.5
Dried Fruits	
Dried plum	0.5
Nuts	0.2
Beverages	
Tea	20
Edible Fungi	
Mushrooms (fresh)	0.3
Seasonings	
Dried chilli	20
Mammalian meat (except marine mammals), calculated based on residue in fat	0.1*
Mammalian offal (except marine mammals)	0.1*
Poultry meat	0.05*
Poultry fat	0.05*
Eggs	0.05*
Raw milk	0.02*
* This limit is a temporary limit.	

4.79.5 Test methods: Grains, nuts, tea, and seasonings shall be determined according to the methods specified in GB 23200.121; oils and fats shall be determined according to the methods specified in GB 23200.45 and GB 23200.121; vegetables, fruits, dried fruits, and edible fungi shall be determined according to the methods specified in GB 23200.45, GB 23200.121, GB/T5009.147, and NY/T1720.

4.83 Amobam

4.83.1 Main Uses: Fungicide.

4.83.2 ADI: 0.03 mg/kgbw.

4.83.3 Residue: Dithiocarbamate (or ester), expressed as carbon disulfide.

4.83.4 Maximum Residue Limit: Should comply with the provisions of Table 83.

Table 83

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	2
Corn	0.1
Fresh corn	1
Brown rice	1
Vegetables	
Chinese cabbage	50
Cucumber	5
Sweet potato	0.5
Fruits	
Orange	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Durian seed	5
Cherry	0.2
Bilberry	5
Grape	5
Strawberry	5
Mango	5
Banana	1

Food Category/Name	Maximum Residue Limit (mg/kg)
Papaya	5
Watermelon	1
Seasonings	
Leaf seasonings	5
Dried chilli	10
Pepper	0.1
Cardamom	0.1
Cumin	10
Fennel seed	0.1
Coriander seed	0.1
Medicinal Plants	
Ginseng (fresh)	0.3

4.83.5 Detection method: For cereals, refer to the method specified in SN/T 1541; for vegetables and fruits, determine according to the method specified in SN 0157; for seasonings, refer to the methods specified in SN 0139, SN 0157, and SN/T 1541; for medicinal plants, refer to the methods specified in SN 0157 and SN/T 1541.

4.84 Metiram

4.84.1 Main use: Fungicide.

4.84.2 ADI: 0.03 mg/kg bw.

4.84.3 Residue definition: Dithiocarbamates (or esters), expressed as carbon disulfide.

4.84.4 Maximum Residue Limits: Shall comply with Table 84.

Table 84

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	1
Barley	1
Oilseeds and Oils	
Peanut kernel	0.5
Vegetables	
Garlic	0.5

Food Category/Name	Maximum Residue Limit (mg/kg)
Onion	0.5
Scallion	0.5
Green garlic	0.5
Garlic sprout	2
Leek	0.5
Lettuce (head)	0.5
Chinese cabbage	50
Tomato	5
Pepper	10
Sweet pepper	2
Cucumber	5
Zucchini	3
Pumpkin	0.2
Summer squash	0.1
Carrot	5
Ginger	1
Potato	0.5
Corn shoot	0.1
Fruits	
Mandarin orange	5
Orange	5
Orange	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Orange (orange)	5
Stone fruits [except peach, cherry, jujube (fresh)]	7
Peach	5
Cherry	0.2
Jujube (fresh)	5
Bilberry	5

Food Category/Name	Maximum Residue Limit (mg/kg)
Currant	10
Gooseberry	10
Grape	5
Strawberry	5
Lychee	5
Mango	5
Banana	1
Papaya	5
Watermelon	1
Melons	0.5
Nuts	
Almond	0.1
Pecan	0.1
Sugar Crops	
Beet	0.5
Beverages	
Hop	30
Seasonings	
Leaf seasonings	5
Dried chilli	10
Pepper	0.1
Cardamom	0.1
Cumin	10
Fennel seed	0.1
Coriander seed	0.1
Medicinal Plants	
Ginseng (fresh)	0.3

4.84.5 Test methods: Grains shall be tested according to the method specified in SN0139; oilseeds and oils, and medicinal plants shall be tested according to the methods specified in SN0157 and SN/T1541; vegetables, fruits, and sugar crops shall be tested according to the method specified in SN0157; nuts shall be tested according to the method specified in SN0157; beverages shall be tested according to the method specified in SN/T1541; and seasonings shall be tested according to the methods specified in SN0139 and SN0157.

4.85 Mancozeb

4.85.1 Main use: Fungicide.

4.85.2 ADI: 0.03 mg/kg bw.

4.85.3 Residue definition: Dithiocarbamates (or esters), expressed as carbon disulfide.

4.85.4 Maximum Residue Limits: Shall comply with Table 85.

Table 85

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	1
Barley	1
Fresh corn	1
Oilseeds and Oils	
Cottonseed	0.1
Soybean	0.3
Peanut kernel	0.5
Vegetables	
Garlic	0.5
Onion	0.5
Scallion	0.5
Leek	0.5
Cauliflower	2
Chinese cabbage	50
Tomato	5
Eggplant	1
Pepper	10
Sweet pepper	2
Okra	10
Cucumber	5
Zucchini	3
Bitter gourd	5
Pumpkin	0.2
Summer squash	0.1
Cowpea	3

Food Category/Name	Maximum Residue Limit (mg/kg)
Kidney bean	3
Edible-podded pea	3
Lentil	3
Vegetable soybean	0.3
Asparagus	2
Carrot	5
Potato	0.5
Sweet potato	0.5
Yam	0.5
Cassava	0.5
Corn shoot	0.1
Fruits	
Mandarin orange	5
Orange	5
Orange	5
Apple	5
Pear	5
Hawthorn	5
Loquat	5
Orange (orange)	5
Jujube (fresh)	5
Cherry	0.2
Blackberry	5
Bilberry	5
Gooseberry	10
Grape	5
Kiwifruit	2
Strawberry	5
Waxberry	7
Lychee	5
Mango	5
Banana	1
Papaya	5

Food Category/Name	Maximum Residue Limit (mg/kg)
Pineapple	2
Dragon fruit	10
Watermelon	1
Nuts	
Almond	0.1
Pecan	0.1
Sugar Crops	
Beet	0.5
Edible Fungi	
Mushrooms (fresh)	5
Seasonings	
Leaf seasonings	5
Dried chilli	10
Pepper	0.1
Cardamom	0.1
Cumin	10
Fennel seed	0.1
Coriander seed	0.1
Medicinal Plants	
Ginseng (fresh)	0.3
Notoginseng root (dried)	3
Notoginseng fibrous root (dried)	3

4.85.5 Detection method: For cereals, determine according to the method specified in SN 0139; for oilseeds and oils, and seasonings, refer to the methods specified in SN 0139 and SN/T 1541; for vegetables, fruits, sugar crops, and edible fungi, determine according to the method specified in SN 0157; for nuts and medicinal plants, refer to the method specified in SN/T 1541.

4.86 Zineb

4.86.1 Main Uses: Fungicide.

4.86.2 ADI: 0.03 mg/kgbw.

4.86.3 Residue: Dithiocarbamate (or ester), expressed as carbon disulfide.

4.86.4 Maximum Residue Limits: Should comply with the provisions of Table 86.

Table 86

Food Category/Name	Maximum Residue Limit (mg/kg)
Oilseeds and Oils	
Rapeseed	10
Peanut kernel	0.5
Vegetables	
Garlic	0.5
Onion	0.5
Scallion	0.5
Leek	0.5
Lily (fresh)	0.5
Cabbage	5
Spinach	50
Chinese cabbage	50
Tomato	5
Eggplant	1
Pepper	10
Sweet pepper	2
Cucumber	5
Zucchini	3
Winter gourd	1
Pumpkin	0.2
Summer squash	0.1
Cowpea	3
Asparagus	2
Stem lettuce	30
Radish	1
Carrot	5
Potato	0.5
Sweet potato	0.5
Corn shoot	0.1
Okra	10
Fruits	
Mandarin orange	5
Orange	5

Food Category/Name	Maximum Residue Limit (mg/kg)
Orange	5
Apple	5
Pear	5
Cherry	0.2
Mango	5
Watermelon	1
Melon	3
Nuts	
Almond	0.1
Pecan	0.1
Sugar Crops	
Beet	0.5
Beverages	
Tea	50
Seasonings	
Leaf seasonings	5
Dried chilli	10
Pepper	0.1
Cardamom	0.1
Cumin	10
Fennel seed	0.1
Coriander seed	0.1
Medicinal Plants	
Ginseng (fresh)	0.3
Lily bulb (dried)	2

4.86.5 Detection method: For oilseeds and oils, and seasonings, refer to the methods specified in SN 0139 and SN/T 1541; for vegetables, fruits, and sugar crops, determine according to the method specified in SN 0157; for nuts and medicinal plants, refer to the method specified in SN/T 1541; for beverages, determine according to the method specified in SN/T 1541.

4.97 Dichlorobenzil

4.97.1 Main Use: Herbicide.

4.97.2 ADI: 0.01 mg/kgbw.

4.97.3 Residue: 2,6 g dichlorobenzamide.

4.97.4 Maximum Residue Limit: Should comply with the provisions of Table 97.

Table 97

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Rice	0.01
Wheat	0.01
Early crops	0.01
Miscellaneous grains	0.01
Vegetables	
Onion	0.01
Scallion	0.02
Brassica vegetables	0.05
Leaf vegetables (except celery)	0.3
Celery	0.07
Solanaceous fruits vegetables	0.01
Cucurbit vegetables	0.01
Fruits	
Vine and shrub fruits	0.2
Grape	0.05
Melon fruits	0.01
Dried Fruits	
Raisin	0.15
Beverages	
Grape juice	0.07
Seasonings	
Dried chilli	0.01
Mammalian meat (except marine mammals)	0.01
Mammalian offal (except marine mammals)	0.04
Mammalian fat (except marine mammals)	0.01
Poultry meat	0.03
Poultry offal	0.1
Poultry fat	0.02*

Food Category/Name	Maximum Residue Limit (mg/kg)
Eggs	0.03
Raw milk	0.01*
* This limit is a temporary limit.	

4.97.5 Detection method: For cereals, vegetables, fruits, dried fruits, beverages, and seasonings, determine according to the method specified in GB 23200.113; for mammalian meat (except marine mammals) and poultry meat, determine according to the method specified in GB/T 20772; for mammalian offal (except marine mammals), poultry offal, and eggs, refer to the method specified in GB/T 20772.

4.103 Dinocap

4.103.1 Main Uses: Fungicide.

4.103.2 ADI: 0.008 mg/kgbw.

48 GB 2763—2026

4.103.3 Residues: The total amount of diinocap isomers and diinocap phenol, expressed as diinocap.

4.103.4 Maximum Residue Limits: Should comply with the provisions of Table 103.

Table 103

Food Category/Name	Maximum Residue Limit (mg/kg)
Vegetables	
Tomato	0.3
Pepper	0.2
Cucurbit vegetables (except zucchini, cucumber)	0.05
Zucchini	0.07
Cucumber	0.07
Fruits	
Apple	0.2
Peach	0.1
Grape	0.5
Strawberry	0.5
Melon fruits (except melons)	0.05
Melons	0.5
Seasonings	

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	2

4.103.5 Detection method: For vegetables, fruits, and seasonings, determine according to the method specified in GB 23200.121.

4.116 Acetamiprid

4.116.1 Main Uses: Insecticide.

4.116.2 ADI: 0.07 mg/kgbw.

4.116.3 Residue: Acetamiprid.

4.116.4 Maximum Residue Limits: Should comply with the provisions of Table 116.

Table 116

Food Category/Name	Maximum Residue Limit (mg/kg)
Cereals	
Wheat	0.5
Fresh corn	0.01
Pea	0.2
Broad bean	0.5
Brown rice	0.5
Oilseeds and Oils	
Cottonseed	0.1
Vegetables	
Bulb vegetables (except garlic, onion, Chinese chive, scallion, green garlic, garlic sprout, lily (fresh))	0.02
Garlic	0.05
Onion	0.1
Chinese chive	2
Scallion	5
Green garlic	2
Garlic sprout	0.7
Lily (fresh)	0.05
Cabbage	0.5
Head-forming brassica vegetables (except cauliflower, broccoli)	0.4

Food Category/Name	Maximum Residue Limit (mg/kg)
Cauliflower	0.5
Broccoli	0.1
Chinese kale	5
Flowering cabbage	3
Leaf vegetables (except spinach, pakchoi, lettuce (leaf), stem lettuce leaf, celery, Chinese cabbage)	1.5
Spinach	5
Pakchoi	1
Lettuce (leaf)	5
Stem lettuce leaf	5
Celery	3
Chinese cabbage	1
Solanaceous fruits vegetables (except tomato, eggplant, sweet pepper, okra)	0.2
Tomato	1
Eggplant	1
Sweet pepper	1
Okra	1
Cucumber	1
Zucchini	0.2
Chieh-qua	0.2
Bitter gourd	0.5
Winter gourd	0.2
Pumpkin	1
Edible-podded legume vegetables (except kidney bean, edible-podded pea)	0.4
Kidney bean	0.5
Edible-podded pea	1
Inedible-podded legume vegetables (except broad bean)	0.3
Broad bean	0.5
Asparagus	0.8
Stem lettuce	1
Radish	0.5
Watercress	3

Food Category/Name	Maximum Residue Limit (mg/kg)
Lotus seed (fresh)	0.05
Lotus root	0.05
Fruits	
Citrus fruits (except mandarin orange, orange, lemon, kumquat)	2
Mandarin orange	0.5
Orange	0.5
Orange	0.5
Lemon	0.5
Kumquat	0.5
Pome fruits (except apple)	2
Apple	0.8
Stone fruits	2
Berries and other small fruits [except wolfberry (fresh), grape]	2
Wolfberry (fresh)	1
Grape	0.5
Tropical and subtropical fruits (except waxberry, banana, papaya, dragon fruit)	2
Waxberry	0.2
Banana	3
Papaya	0.5
Dragon fruit	0.2
Melon fruits (except watermelon, melon)	2
Watermelon	0.2
Melon	0.2
Dried Fruits	
Dried plum	0.6
Nuts	0.06
Beverages	
Tea	10
Jasmine flower (dried)	0.3
Seasonings	
Dried chilli	2
Pepper	0.1

Food Category/Name	Maximum Residue Limit (mg/kg)
Cardamom	0.1
Medicinal Plants	
Lily bulb (dried)	0.05
Wolfberry (dried)	2
Honeysuckle (fresh)	5
Honeysuckle (dried)	15
Mammalian meat (except marine mammals)	0.5
Mammalian offal (except marine mammals)	1
Mammalian fat (except milk fat)	0.3
Poultry meat	0.01
Poultry offal	0.05
Eggs	0.01
Raw milk	0.02

4.116.5 Test methods: Grains, oilseeds and fats, nuts, beverages, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121; vegetables, fruits, and dried fruits shall be tested according to the methods specified in GB23200.121 and GB/T23584; mammalian meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in GB/T20772; mammalian offal (excluding marine mammals), mammalian fat (excluding milk fat), poultry offal, eggs, and raw milk shall be tested according to the methods specified in GB/T20772.

4.119 Boscalid

4.119.1 Main Uses: Fungicide.

4.119.2 ADI: 0.04 mg/kgbw.

4.119.3 Residue: Boscalid.

4.119.4 Maximum Residue Limit: Should comply with the provisions of Table 119.

Table 119

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

4.119.5 Test Methods Test methods: Grains, oilseeds and fats, nuts, beverages, and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, and dried fruits shall be tested according to the methods specified in GB2320.068, GB23200.113, and GB23200.121; mammalian meat (excluding marine mammals), mammalian offal (excluding marine mammals), poultry meat, poultry offal, poultry fat, and eggs shall be tested according to the methods specified in GB/T 22979; raw milk shall be tested according to the methods specified in GB/T 22979.

4.125 Chlorpyrifos

4.125.1 main use: insecticide

4.125.2 ADI :0.01 mg/kg bw.

4.125.3 residue: Chlorpyrifos

4.125.4 Maximum residue limit: should comply with the provisions of Table 125

Table 125

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	20

4.125.5 Test methods: Grains are tested according to the methods specified in GB23200.9, GB23200.113, GB23200.116, GB23200.121, GB/T5009.145, and SN/T2158; oils and fats, nuts, beverages, and seasonings are tested according to the methods specified in GB23200.113, GB23200.116, and GB23200.121; vegetables are tested according to the methods specified in GB23200.113, GB23200.116, 23200.121, NY/ 761, and SN/T 2158; Dried vegetables, fruits, and sugars shall be determined according to the methods specified in GB23200.8, GB23200.113, GB23200.116, GB23200.121, NY/T 761, and SN/T 2158; medicinal plants shall be determined according to the methods specified in GB 23200.113, GB 23200.116, GB23200.121, and NY/T 761; mammalian meat (excluding marine mammals) and poultry meat shall be determined according to the methods specified in GB/T 20772; mammalian viscera (excluding marine mammals), poultry viscera, poultry fat, eggs, and raw milk shall be determined with reference to the methods specified in GB/T 20772.

4.129 Carbendazim

4.129.1 main use: fungicide

4.129.2 ADI :0.03 mg/kg bw.

4.129.3 residue: carbendazim

4.129.4 Maximum Residue Limit: Should comply with the provisions of Table 129

Table 129

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	20

4.129.5 Test Methods: Grains, oilseeds and fats, nuts, beverages, edible fungi, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200121; vegetables, fruits, dried fruits, and sugars shall be tested according to the methods specified in GB23200121 and NY/T1453; mammalian meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in GB/T20772; mammalian offal (excluding marine mammals), poultry fat, eggs, and raw milk shall be tested according to the methods specified in GB/T20772.

4.131 Spinosad

4.131.1 Main uses: Insecticide

4.131.2 ADI: 0.02 mg/kg bw

4.131.3 Residue: The sum of spinosad A and spinosad D.

4.131.4 Maximum residue limits: shall comply with the provisions of Table 131.

Table 131

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	3

4.131.5 Test methods: Grains, oilseeds and fats, fruits, nuts, and seasonings shall be tested according to the methods specified in GB23200121.

4.146 Diazinon

4.146.1 Main use: Insecticide.

4.146.2 ADI: 0.005 mg/kgbw.

4.146.3 Residue: diazinon

4.146.4 Maximum residue limits: shall comply with the provisions of Table 146.

Table 146

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	0.5

4.146.5 Test methods: Grains are tested according to the methods specified in GB23200113, GB23200116, GB23200121, and GB/T5009.107; oilseeds and fats, nuts, beverages, seasonings, and medicinal plants are tested according to the methods specified in GB23200.113, GB23200.116, and GB23200121; vegetables are tested according to the methods specified in GB23200113, GB23200.116, GB23200121, GB/T5009107, and NY/T761; fruits, dried fruits, and sugars are tested according to... The determination shall be made in accordance with the methods specified in GB232008, GB23200113, GB23200116, GB23200121, GB/T5009107, and NY/T761.

4.149 Flutriafol

4.149.1 main use: fungicide

4.149.2 ADI :0.01 mg/kg bw.

4.149.3 residue: Fenazol

4.149.4 Maximum residue limits: shall comply with the provisions of Table 149.

Table 149

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	10

4.149.5 Test methods: Grains shall be tested according to the methods specified in GB23200.9 and GB23200.121; oils and fats, vegetables, fruits, dried fruits, beverages, sugars, and seasonings shall be tested according to the methods specified in GB23200.121.

4.152 Dinotefuran

4.152.1 Main Use: Insecticide.

4.152.2 ADI :0.2 mg/kg bw.

4.152.3 Residue: For plant-derived food, it is fipronil; for animal-derived food, it is the sum of fipronil and 1g methyl G3G (tetrahydro-G3G furazolidone), expressed as fipronil.

4.152.4 Maximum Residue Limit: Should comply with the provisions of Table 152.

Table 152

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	5

4.152.5 Test methods: Grains, vegetables, fruits, dried fruits, and sugars shall be tested according to the methods specified in GB23200.37 and GB23200.121; oils and fats, tea, and seasonings shall be tested according to the methods specified in GB23200.121; beverages (excluding tea) shall be tested according to the methods specified in GB23200.51 and GB23200.121.

4.155 Phosalone

4.155.1 main use: insecticide

4.155.2 ADI: 0.02mg/kg bw.

4.155.3 residue: Phoxim

4.155.4 Maximum Residue Limit: Should comply with the provisions of Table 155

Table 155

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	7

4.155.5 Test methods: Oils and fats, nuts, and seasonings shall be tested according to the methods specified in GB23200.113, GB23200.116, and GB23200.121; vegetables and fruits shall be tested according to the methods specified in GB23200.8, GB23200.113, GB23200.116, GB23200.121, and NY/T761.

4.158 Flubendiamide

4.158.1 main use: insecticide

4.158.2 ADI :0.02 mg/kg bw.

4.158.3 Residue: Flubendiamide

4.158.4 Maximum residue limits: shall comply with the provisions of Table 158.

Table 158

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	7

4.158.5 Test methods: Grains, oilseeds and fats, fruits, nuts, and sugars shall be tested according to the methods specified in GB23200.121; vegetables and seasonings shall be tested according to the methods specified in GB23200.76 and GB23200.121; mammalian meat (excluding marine mammals), measured by residual fat, mammalian meat fat (excluding marine mammals), mammalian offal (excluding marine mammals), and raw milk shall be tested according to the methods specified in GB23200.76.

4.161 Flupyradifurone

4.161.1 main use: insecticide

4.161.2 ADI: 0.008mg/kg bw.

4.161.3 residue: Flupyradifurone

4.161.4 Maximum Residue Limit: Should comply with the provisions of Table 161

Table 161

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	9

4.161.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, dried fruits, nuts, and seasonings shall be tested according to the methods specified in GB23200.121.

4.164 Fluopicolide

4.164.1 Main uses: bactericide.

4.164.2 ADI: 0.08 mg/kgbw.

4.146.3 Residue: Fluopyram.

4.164.4 Maximum Residue Limits: Should comply with the provisions of Table 164.

Table 164

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	7

4.164.5 Test methods: Vegetables, fruits, dried fruits, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.113 and GB23200.121.

4.165 Fluopyram

4.165.1 main use: fungicide

4.165.2 ADI: 0.01 mg/kgbw

4.165.3 Residue: Fluopyram.

4.165.4 Maximum Residue Limit: Should comply with the provisions of Table 165.

Table 165

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	30

4.165.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, dried fruits, nuts, sugars, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.113 and GB2320.121.

4.172 Sulfoxaflor

4.172.1 main use: insecticide

4.172.1ADI :0.05 mg/kg bw.

4.172.3 residue: fipronil

4.172.4 Maximum residue limit: should comply with the provisions of Table 172

Table 172

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	15

4.172.5 Testing Method: Detection methods: Grains, oils and fats, vegetables, fruits, dried fruits, and seasonings shall be determined according to the methods specified in GB23200.121.

4.183 cypermethrin and beta-cyfluthrin

4.183.1 Main uses: Insecticide.

4.183.2 ADI: 0.04 mg/kgbw.

4.183.3 Residue: Cypermethrin (sum of isomers).

4.183.4 Maximum Residue Limit: Should comply with the provisions of Table 183.

Table 183

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	1

4.183.5 Test methods: Grains, oilseeds and fats, and seasonings shall be tested according to the methods specified in GB23200.113; vegetables and fruits shall be tested according to the methods

specified in GB23200.113, GB/T5009.146, and NY/T761; dried fruits and sugar-coated edible fungi shall be tested according to the methods specified in GB23200.8, GB23200.113, GB/T5009.146, and NY/T761; tea shall be tested according to the methods specified in GB23200.113 and GB/T23204.

4.189 Oxathiapiprolin

4.189.1 Main Use: Fungicide

4.189.2 ADI: 4 mg/kgbw.

4.189.3 Residue: Fluoxetine

4.189.4 Maximum Residue Limit: Should comply with the provisions of Table 189

Table 189

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	4

4.189.5 Test methods: Oils and fats, vegetables, dried vegetables, fruits, dried fruits, medicinal plants, and seasonings shall be tested according to the methods specified in GB23200.121.

4.192 Fluorosulfone

4.192.1 Main uses: Nematicide.

4.192.2 ADI: 0.01 mg/kgbw

4.192.3 Residue: The sum of fluorosulfone and its metabolite 3,4,4-trifluoro-3-ene-1-sulfonic acid (BSA), expressed as fluorosulfone.

4.192.4 Maximum Residue Limits: Should comply with the provisions of Table 192.

Table 192

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	7*

*This is a temporary limit.

4.197 Fluxapyroxad

4.197.1 main use: fungicide

4.197.2 ADI: 0.02 mg/kgbw.

4.197.3 Residue: Fluopyram.

4.197.4 Maximum Residue Limit: Should comply with the provisions of Table 197

Table 197

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	6

4.197.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, dried fruits, nuts, sugars, beverages, and seasonings shall be tested according to the methods specified in GB23200.121.

4.199 Thiram

4.199.1 Main uses: Fungicide

4.199.2 ADI: 0.01 mg/kgbw

4.199.3 Residue: Dithiocarbamate (or ester), expressed as carbon disulfide.

4.199.4 Maximum residue limit: Should comply with the provisions of Table 199

Table 199

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	10

4.199.5 Test methods: Grains shall be tested according to the method specified in SN0139; oilseeds and fats shall be tested according to the method specified in SN0139; vegetables, fruits, and edible fungi shall be tested according to the method specified in SN0157; nuts and medicinal plants shall be tested according to the method specified in SN/T1541; seasonings shall be tested according to the methods specified in SN0139 and SN/T1541.

4.200 Ziram

4.200.1 Main uses: Fungicide.

4.200.2 ADI: 0.003 mg/kgbw

4.200.3 Residue: Dithiocarbamate (or ester), expressed as carbon disulfide

4.200.4 Maximum Residue Limit: Should comply with the provisions of Table 200.

Table 200

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	10

4.200.5 Test methods: Oils and fats, and medicinal plants shall be tested according to the methods specified in SN/T1541; vegetables and fruits shall be tested according to the methods specified in SN0157 and SN/T1541; seasonings shall be tested according to the methods specified in SN0139 and SN/T1541.

4.203 fludioxonil

4.203.1 Main uses: Fungicide.

4.203.2 ADI: 0.4 mg/kgbw

4.203.3 Residue: Fludioxonil.

4.203.4 Maximum Residue Limit: Should comply with the provisions of Table 203.

Table 203

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	4

4.203.5 Test methods: Grains shall be tested according to the methods specified in GB23200.9, GB23200.113, and GB23200.121; oilseeds and fats, vegetables, nuts, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.113 and GB23200.121; fruits shall be tested according to the methods specified in GB23200.8, GB23200.113, and GB23200.121.

4.226 Emamectin Benzoate

4.226.1 Main uses: Insecticide.

4.226.2 ADI: 0.0005 mg/kgbw.

4.226.3 Residue: Emamectin benzoate B1a.

4.226.4 Maximum residue limit: Should comply with the provisions of Table 226.

Table 226

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	0.2

4.226.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, nuts, tea, edible fungi, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121.

4.227 MethamidoPhos

4.227.1 main use: insecticide

4.227.2 ADI: 0.004 mg/kgbw.

4.227.3 residue: Methamidophos

4.227.4 Maximum residue limits: shall comply with the provisions of Table 227.

Table 227

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	0.1

4.227.5 Test methods: Grains, oilseeds, and fats shall be tested according to the methods specified in GB23200.113, GB23200.116, GB23200.121, and GB/T5009.103; vegetables, fruits, and sugars shall be tested according to the methods specified in GB23200.113, GB23200.116, GB23200.121, GB/T 5009.103, and NY/T761; tea and seasonings shall be tested according to the methods specified in GB23200.113, GB23200.116, and GB23200.121; animal-derived foods shall be tested according to the methods specified in GB/T20772.

4.229 Tolyfluorosulfonamide

4.229.1 Main uses: Fungicide.

4.229.2 ADI: 0.08 mg/kgbw.

4.229.3 Residue: Toluenesulfonamide.

4.229.4 Maximum residue limits: shall comply with the provisions of Table 229.

Table 229

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	20

4.229.5 Test methods: Vegetables and fruits shall be tested according to the methods specified in GB23200.8; beverages and condiments shall be tested according to the methods specified in GB23200.8.

4.234 Chlorpyrifos-methyl

4.234.1 main use: insecticide

4.234.2 ADI: 0.01 mg/kgbw.

4.234.3 residue: Chlorpyrifos methyl

4.234.4 Maximum residue limits: shall comply with the provisions of Table 234.

Table 234 (Continued)

Food Category/Name	Maximum Residue Limit (mg/kg)
seasonings Dried chilli	10

4.234.5 Test methods: Grains, oilseeds, and oils shall be tested according to the methods specified in GB23200.113, GB23200.116, and GB23200.121; vegetables shall be tested according to the methods specified in GB23200.8, GB23200.113, GB23200.116, GB23200.121, and NY/T761; seasonings shall be tested according to the methods specified in GB23200.8, GB23200.113, GB23200.116, and GB23200.121; mammalian meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in GB/T20772; mammalian offal (excluding marine mammals), poultry offal, and eggs shall be tested according to GB/T20772. The determination shall be performed according to the prescribed method; raw milk shall be determined according to the method specified in GB/T23210.

4.244 Carbaryl

4.244.1 main use: insecticide

4.244.2 ADI: 0.008 mg/kgbw.

4.244.3 residue: Carbaryl

4.244.4 Maximum residue limits: shall comply with the provisions of Table 244.

Table 244

Food Category/Name	Maximum Residue Limit (mg/kg)
seasonings	
Dried chilli	2

4.244.5 Test methods: Grains, oils and fats shall be determined according to the methods specified in GB23200.112 and GB23200.121; vegetables shall be determined according to the methods specified in GB23200.112, GB23200.121, GB/T5009.145, and NY/T761; fruits, nuts, sugars, beverages (excluding tea), and seasonings shall be determined according to the methods specified in GB 23200.121; tea shall be determined according to the methods specified in GB 23200.13, GB 23200.112, and GB23200.121; mammalian meat (marine mammals) shall be determined according to the methods specified in GB 23200.13, GB 23200.112, and GB23200.121. Except for those from marine mammals, the determination of the contents of raw milk shall be carried out in accordance with the method specified in GB/T20772; the determination of raw milk shall be carried out in accordance with the method specified in GB/T23210.

4.246 Fenpropathrin

4.246.1 main use: insecticide

4.246.2 ADI: 0.03 mg/kgbw.

4.246.3 residue: Fenpropathrin

4.246.4 Maximum residue limits: shall comply with the provisions of Table 246.

Table 246

Food Category/Name	Maximum Residue Limit (mg/kg)
seasonings	
Dried chilli	10

4.246.5 Test methods: Grains, oils, and fats shall be tested according to the methods specified in GB23200.9, GB23200.113, GB23200.121, and SN/T2233; vegetables, fruits, and dried fruits shall be tested according to the methods specified in GB 23200.8, GB 23200.113, GB 23200.121, NY/T 761, and SN/T2233; nuts and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; beverages (excluding tea) shall be tested according to GB23200.121. The methods for determining the content of certain substances are as follows: For tea, the methods specified in GB23200.113, GB23200.121, and GB/T23376 are used; for poultry meat, the method based on fat content is used; for poultry offal, the method specified in SN/T2233 is used; for mammalian meat (excluding marine mammals), mammalian offal (excluding marine mammals), and eggs, the method specified in SN/T2233 is used.

4.250 methoxyfenozide

4.250.1 main use: insecticide

4.250.2 ADI: 0.1 mg/kgbw.

4.250.3 residue: methoxyfenozide

4.250.4 Maximum residue limits: shall comply with the provisions of Table 250.

Table 250

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	20

4.250.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, dried fruits, nuts, sugars, and seasonings shall be tested according to the methods specified in GB23200.121.

4.253 Fenbuconazole

4.253.1 main use: fungicide

4.253.2 ADI: 0.03 mg/kgbw.

4.253.3 residue: fenbuconazole

4.253.4 Maximum residue limits: shall comply with the provisions of Table 253.

Table 253

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	2

4.253.5 Test methods: Grains are tested according to the methods specified in GB23200.9, GB23200.113, and GB23200.121; oilseeds and fats, and seasonings are tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, and dried fruits are tested according to the methods specified in GB23200.8, GB23200.113, and GB23200.121; nuts are tested according to the method specified in GB23200.121.

4.255 Myclobutanil

4.255.1 main use: fungicide

4.255.2 ADI: 0.03 mg/kgbw.

4.255.3 residue: myclobutanil

4.255.4 Maximum residue limits: shall comply with the provisions of Table 255.

Table 255

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	20

4.255.5 Test methods: Grains, beverages, and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, and dried fruits shall be tested according to the methods specified in GB23200.8, GB23200.113, GB23200.121, and NY/T1455; mammal meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in GB23200.46; mammalian offal (excluding marine mammals), poultry offal, and eggs shall be tested according to the methods specified in GB23200.46.

4.262 Pirimicarb

4.262.1 main use: insecticide

4.262.2 ADI: 0.02 mg/kgbw

4.262.3 residue: Pirimicarb

4.262.4 Maximum residue limits: shall comply with the provisions of Table 262.

Table 262

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	20

4.262.5 Test methods: Grains are tested according to the methods specified in GB23200.113, GB23200.121, and SN/T0134; oilseeds and fats, and seasonings are tested according to the methods specified in GB23200.113 and GB23200.121; vegetables are tested according to the methods specified in GB23200.113, GB23200.121, NY/T1379, and SN/T0134; fruits are tested according to the methods specified in GB23200.8, GB 23200.113, GB 2320.121, NY/T1379, and SN/T0134.

4.271 Quinoxifen

4.271.1 main use: fungicide

4.271.2 ADI: 0.2 mg/kgbw

4.271.3 residue: quinoxifen

4.271.4 Maximum residue limits: shall comply with the provisions of Table 271.

Table 271

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	10

4.271.5 Test methods: Grains, vegetables, fruits, sugars, seasonings, and beverages shall be tested according to the methods specified in GB23200.113; animal-derived foods shall be tested according to the methods specified in GB23200.56.

4.272 Dimethoate

4.272.1 Main uses: Insecticide

4.272.2 ADI: 0.002 mg/kgbw

4.272.3 residue:dimethoate

4.272.4 Maximum residue limits: shall comply with the provisions of Table 272.

Table 272

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	3

4.272.5 Test methods: Grains, oilseeds, and fats shall be tested according to the methods specified in GB23200.113, GB23200.116, GB23200.121, and GB/T5009.20; Vegetables, dried vegetables, fruits, dried fruits, sugar crops, and edible fungi shall be tested according to the methods specified in GB23200.113, GB23200.116, GB23200.121, GB/T5009.145, and NY/T761; Tea, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.113, GB23200.116, and GB23200.121; Mammalian meat (oceanic) Except for dairy animals, the determination shall be made according to the method specified in GB/T20772; for mammalian viscera (excluding marine mammals), mammalian fat (excluding milk fat), poultry meat, poultry fat, poultry viscera, eggs, and raw milk, the determination shall be made according to the method specified in GB/T20772.

4.277 bifenthrin

4.277.1 Main uses: Insecticide/acaricide.

4.277.2 ADI: 0.01 mg/kg bw.

4.277.3 Residue: bifenthrin (sum of isomers) .

4.277.4 Maximum residue limit: Shall comply with the provisions of Table 277.

Table 277

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	5

4.277.5 Test methods: Grains are tested according to the methods specified in GB23200.113, GB23200.121, and SN/T2151; oilseeds and fats, nuts, and medicinal plants are tested according to

the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, and sugars are tested according to the methods specified in GB23200.8, GB23200.113, GB23200.121, GB/T5009.146, NY/T761, and SN/T1969; beverages are tested according to GB23200.113, GB23200.121, and SN/T1969. The methods for determining the content of raw milk fat are as follows: Seasonings are determined according to the methods specified in GB23200.8, GB23200.113, GB23200.121, and NY/T761; mammalian meat (excluding marine mammals) and mammalian offal (excluding marine mammals) are determined according to the methods specified in SN/T1969; raw milk and milk fat are determined according to the methods specified in SN/T1969.

4.288 Sulfuryl fluoride

4.288.1 Application: Pesticide.

4.288.2 ADI :0.01 mg/kg bw.

4.288.3 Residue: Sulfuryl fluoride.

4.288.4 Maximum residue limit: Shall comply with the provisions of Table 288.

Table 288

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	0.5

4.288.5 Test methods: Grains, vegetables, fruits, dried fruits, nuts, and seasonings shall be tested according to the methods specified in GB23200.123.

4.290 Spirotetramat

4.290.1 Main uses: Pesticide.

4.290.2 ADI :0.05 mg/kg bw.

4.290.3 Residue: Spirotetramat and its metabolite cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4,5]dec-3-en-2-one, expressed as spirotetramat.

4.290.4 Maximum residue limit: Shall comply with the provisions of Table 290.

Table 290

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	15

4.290. 5 Test methods: Grains, vegetables, and fruits shall be tested according to the methods specified in GB23200.121 and SN/T4891; oilseeds and oil esters, dried fruits, nuts, beverages,

seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121.

4.291 Spiromesifen

4.291.1 Main use:acaricide.

4.291.2 ADI :0.03 mg/kg bw.

4.291.3 Residue: The sum of spirodiclofen and its metabolite 4-hydroxy-3-trimethyl-1-oxaspiro[4.4]non-3-en-2-one, expressed as spirodiclofen.

42914 Maximum residue limit:Shall comply withthe provisions of Table 291.

Table 291

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	5*

*This is a temporary limit.

4.298 fenarimol

4.298.1 Application: Bactericide.

4.298.2 ADI :001 mg/kg bw.

4.298.3 Residue: **fenarimol**

4.298.4 Maximum residue limit: Shall comply with the provisions of Table 298.

Table 298

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	5

4.302 ChlorantraniliProle

4.302.1 Application: Pesticide.

4.302.2 ADI: 2 mg/kg bw.

4.302.3 Residue: Chlorantraniliprole.

4.302.4 Maximum residue limit: shall comply with the provisions of Table 302.

Table 302

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	5

4.302.5 Test methods: Grains, oilseeds and fats, nuts, sugars, beverages, and seasonings shall be tested according to the methods specified in GB23200.121; vegetables and fruits shall be tested according to the methods specified in GB23200.121 and SN/T5221.

4.307 Cyhalothrin and lambda-cyhalothrin

4.307.1 Main use: Pesticide.

4.307.2 ADI: 0.02 mg/kg bw.

4.307.3 Residue: cyhalothrin (sum of isomers) .

4.307.4 Maximum residue limits: shall comply with the provisions of Table 307.

Table 307

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	3

4.307.5 Test methods: Grains are tested according to the methods specified in GB23200.113, GB/T5009.146, and SN/T2151; oilseeds and fats, nuts, and beverages are tested according to the methods specified in GB23200.113; vegetables are tested according to the methods specified in GB23200.113, GB/T5009.146, and NY/T761; fruits, dried fruits, sugar crops, and edible fungi are tested according to the methods specified in GB23200.8, GB23200.113, GB/T5009.146, and NY/T761; seasonings are tested according to GB23200.8, GB23200.113, and NY/T761. The determination shall be carried out according to the prescribed methods; for medicinal plants, the determination shall be carried out according to the methods specified in GB23200.8 and GB23200.113; for mammalian meat (excluding marine mammals) and mammalian viscera (excluding marine mammals), the determination shall be carried out according to the methods specified in GB/T23210; for raw milk, the determination shall be carried out according to the methods specified in GB/T23210.

4.310 Permethrin

4.310.1 Main uses: Insecticide.

4.310.2 ADI: 0.05 mg/kg bw.

4.310.3 Residue: permethrin (sum of isomers)

4.310.4 Maximum residue limits: shall comply with the provisions of Table 310.

Table 310

Food Category/Name	Maximum Residue Limit (mg/kg)
Dried chilli	10

4.310.5 Test methods: Grains shall be tested according to the methods specified in GB23200.113, GB23200.121, GB/T5009.146, and SN/T2151; oilseeds and fats, nuts, beverages (excluding tea), and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, sugar crops, and edible fungi shall be tested according to the methods specified in GB23200.8, GB23200.113, GB23200.121, and NY/T761. The determination of the following methods shall be performed: for tea, the determination shall be performed according to the methods specified in GB23200.113, GB23200.121, and GB/T23204; for mammalian meat (excluding marine mammals), poultry meat, and eggs, the determination shall be performed according to the methods specified in GB/T5009.162; for mammalian offal (excluding marine mammals), the determination shall be performed according to the methods specified in GB/T5009.162.

4.312 Cypermethrin and beta-Cypermethrin

4.312.1 Application: Pesticide.

4.312.2 ADI: 0.02 mg/kg bw.

4.312.3 Residue: Cypermethrin (sum of isomers) .

4.312.4 Maximum residue limit: It shall comply with the provisions of Table 312.

Table 312

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	10

4.312.5 Test Methods: Grains, oils and fats, nuts, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.113; vegetables shall be tested according to the methods specified in GB23200.113, GB/T5009.146, and NY/T761; fruits, dried fruits, sugar crops, edible fungi, and beverages shall be tested according to the methods specified in GB23200.113 and GB/T23204; mammalian meat (excluding marine mammals) shall be tested according to the methods specified in GB23200.113 and GB/T23204. For poultry meat and eggs, the methods specified in GB/T5009.162 shall be followed; for mammalian offal (excluding marine mammals), poultry offal, and poultry fat, the methods specified in GB/T5009.162 shall be followed; for raw milk and milk fat, the methods specified in GB/T23210 shall be followed.

4.320 Malathion

4.320.1 Application: Pesticide.

4.320.2 ADI: 0.3 mg/kg bw.

4.320.3 Residue: Malathion.

4.320.4 Maximum residue limit: Shall comply with the provisions of Table 320.

Table 320

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	1

4.320.5 Test methods: Grains are tested according to the methods specified in GB23200.9, GB23200.113, GB23200.116, GB23200.121, and GB/T5009.145; oilseeds and oils are tested according to the methods specified in GB23200.113, GB23200.116, GB23200.121, and GB/T5009.145; vegetables are tested according to GB23200.113, GB23200.116, GB23200.121, and NY/T761. The prescribed methods shall be used for the determination of fruits, dried fruits, sugars, edible fungi, beverages, and seasonings, in accordance with the methods specified in GB23200.8, GB23200.113, GB23200.116, GB23200.121, and NY/T761.

4.324 fenamidone

4.324.1 Application: Bactericide.

4.324.2 ADI :0.03 mg/kg bw.

4.324.3 Residue: fenamidone

4.324.4 Maximum residue limit: Shall comply with the provisions of Table 324.

Table 324

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	30

4.324.5 Test methods: Oils and fats, vegetables, and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; fruits shall be tested according to the methods specified in GB23200.8, GB23200.113, and GB23200.121; raw milk and milk fat shall be tested according to the methods specified in GB/T23210.

4.335 Cyprodinil

4.335.1 Application: Bactericide.

4.335.2 ADI :0.03 mg/kg bw.

4.335.3 Residue: cyprodinil.

4.335.4 Maximum residue limit: Shall comply with the provisions of Table 335.

Table 335

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasonings	
Dried chilli	9

4.335.5 Test methods: Grains shall be tested according to the methods specified in GB23200.9, GB23200.113, and GB23200.121; oilseeds and fats, nuts, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, and dried fruits shall be tested according to the methods specified in GB23200.8, GB23200.113, GB23200.121, and NY/T1379.

4.336 azoxystrobin

4.336.1 Main uses: Fungicide.

4.336.2 ADI: 0.2 mg/kgbw.

4.336.3 Residue: Azoxystrobin

4.336.4 Maximum Residue Limit: Should comply with the provisions of Table 336.

Table 336

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	30

4.336.5 Test methods: Grains, oilseeds and fats, nuts, beverages, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121; vegetables, fruits, and sugar crops shall be tested according to the methods specified in GB23200.46, GB23200.54, GB23200.121, NY/T1453, and SN/T1976; mammal meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in GB23200.46.

4.341 methomyl

4.341.1 Main uses: Insecticide

4.341.2 ADI: 0.2 mg/kgbw.

4.341.3 Residue: Methomyl

4.341.4 Maximum Residue Limit: Should comply with the provisions of Table 341.

Table 341

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

4.344 ethoprophos

4.344.1 Main uses: Nematicide.

4.344.2 ADI: 0.004 mg/kgbw

4.344.3 Residue: ethoprophos

4.344.4 Maximum Residue Limit: Should comply with the provisions of Table 344.

Table 344

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	0.2

4.344.5 Test methods: Grains and seasonings shall be tested according to the methods specified in GB23200.113, GB23200.116, and GB23200.121; oilseeds and fats shall be tested according to the methods specified in GB23200.113, GB23200.116, GB23200.121, and SN/T3768; vegetables, fruits, and sugars shall be tested according to the methods specified in GB23200.113, GB 23200.116, GB 23200.121, and NY/T 761. The determination of the following is specified: tea leaves shall be tested according to the methods specified in GB23200.13, GB23200.113, GB23200.116, GB23200.121, and GB/T23204; mammalian meat (excluding marine mammals) shall be tested according to the methods specified in GB/T20772; mammalian viscera (excluding marine mammals) shall be tested according to the methods specified in GB/T20772; raw milk shall be tested according to the methods specified in GB/T23211.

4.346 cyromazine

4.346.1 Application: Bactericide.

4.346.2 ADI :0.06 mg/kg bw (provisional) .

4.346.3 Residue: cyromazine

4.346.4 Maximum residue limits: Shall comply with the provisions of Table 346.

Table 346

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

4.360 Metaflumizone

4.360.1 Application: Pesticide.

4.360.2 ADI :0.1 mg/kg bw.

4.360.3 Residue: Cyanoflavone, E-isomer and Z-isomer sum.

4.360.4 Maximum residue limits: comply with Table 360.

Table 360

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	5*

* This is a temporary limit.

4.360.5 Test methods: Grains and vegetables are tested according to the methods specified in GB23200.121; oils and fats are tested according to the methods specified in GB23200.121 and SN/T3852; raw milk is tested according to the methods specified in SN/T3852.

4.370 Clothianidin

4.370.1 Application: Pesticide.

4.370.2 ADI :0.1 mg/kg bw.

4.370.3 Residue: clothianidin.

4.370.4 Maximum residue limits: comply with Table 370.

Table 370

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	0.5

4.370.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, dried fruits, sugars, beverages, and seasonings shall be tested according to the methods specified in GB23200.39 and GB23200.121; nuts shall be tested according to the methods specified in GB23200.121; mammalian viscera (excluding marine mammals), mammalian fat (excluding milk fat), poultry, eggs, mammalian meat (excluding marine mammals), poultry viscera, and raw milk shall be tested according to the methods specified in GB23200.39.

4.372 thiamethoxam

4.372.1 Application: Pesticide.

4.372.2 ADI :0.08 mg/kg bw.

4.372.3 Residue: thiamethoxam

4.372.4 Maximum residue limit: shall comply with the provisions of Table 372.

Table 372

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	7

4.372.5 Test methods: Grains, nuts, beverages, and seasonings shall be tested according to the methods specified in GB23200.121; oils and fats, and fruits shall be tested according to the methods specified in GB23200.39 and GB23200.121; vegetables, dried vegetables, sugar crops, and edible fungi shall be tested according to the methods specified in GB23200.8, GB23200.39, and GB23200.121; mammalian meat (excluding marine mammals), poultry offal, and raw milk shall be tested according to GB23200.39. The prescribed methods shall be used for determination; for mammalian viscera (excluding marine mammals), poultry meat, and eggs, the methods specified in GB23200.39 shall be used for determination.

4.380 buprofezin

4.380.1 Main uses: Insecticide.

4.380.2 ADI :0.009 mg/kg bw.

4.380.3 Residue: buprofezin

4.380.4 Maximum Residue Limit: Should comply with the provisions of Table 380.

Table 380

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

43905 Detection method: Grain, oil and fat, vegetables, dried vegetables, fruits, dried fruits, nuts, sugar, beverages, edible fungi, spices, medicinal plants according to GB23200113 provisions of the method of determination.

4.391 Cyhexatin

4.391.1 Application: acaricide.

4.391.2 ADI :0.003 mg/kg bw.

4.391.3 Residue: cyhexatin

4.391.4 Maximum residue limits: comply with Table 391.

Table 391

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	5

4.391.5 Test methods: Fruits shall be tested according to the method specified in SN/T4558; seasonings shall be tested according to the method specified in SN/T4558.

4.398 triadimenol

4.389.1 Main uses: Fungicide

4.389.2 ADI :0.003 mg/kg bw.

4.389.3 Residue: triadimenol

4.389.4 Maximum Residue Limit: Should comply with the provisions of Table 398.

Table 398

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	5

4.389.5 Test methods: Grains, oilseeds and fats, beverages, and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, dried fruits, and sugars shall be tested according to the methods specified in GB23200.8, GB23200.113, and GB23200.121.

4.401 triademefon

4.401.1 Main uses: Fungicide.

4.401.2 ADI :0.03 mg/kg bw.

4.401.3 Residue: Sum of triadimefon and triazole.

4.401.4 Maximum Residue Limit: Should comply with the provisions of Table 401.

Table 401

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	5

4.401.5 Test methods: Grains shall be tested according to the methods specified in GB23200.9, GB23200.113, GB23200.121, and GB/T5009.126; oilseeds and fats, beverages, and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, dried fruits, and sugars shall be tested according to the methods specified in GB23200.8, GB23200.113, and GB23200.121.

4.427 mandiProPamid

4.427.1 Application: Bactericide.

4.427.2 ADI :0.2 mg/kg bw.

4.427.3 Residue: mandipropamide.

4.427.4 Maximum residue limits: shall comply with the provisions of Table 427.

Table 427

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

4.427.5 Detection methods: Vegetables, fruits, dried fruits, beverages, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121.

4.430 Propamocarb and Propamocarb hydrochloride

4.430.1 Application: Bactericide.

4.430.2 ADI :04 mg/kg bw.

4.430.3 Residue: propamocarb.

4.430.4 Maximum residue limits: shall comply with the provisions of Table 430.

Table 430

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

4.430.5 Test methods: Grains, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121; vegetables and fruits shall be tested according to the methods specified in GB23200.121 and NY/T1379; mammalian meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in GB/T20772; mammalian offal (excluding marine mammals), poultry fat, poultry offal, and eggs shall be tested according to the methods specified in GB/T20772; raw milk shall be tested according to the methods specified in GB/T23211.

4.454 quintozene

4.454.1 Main use: Bactericide.

4.454.2 ADI:0.01 mg/kg bw.

4.454.3 Residues: Pentachloronitrobenzene in plant-based foods; a combination of pentachloronitrobenzene, pentachloroaniline, and pentachlorophenyl ether in animal-based foods.

4.454.4 Maximum residue limit: shall comply with the provisions of Table 454.

4.454.5 Test methods: Grains shall be tested according to the methods specified in GB23200.113, GB/T5009.19, and GB/T5009.136; oils and fats, and seasonings shall be tested according to the methods specified in GB23200.113; vegetables and edible fungi shall be tested according to GB23200.8, GB23200.113, GB/T5009.19, GB/T5009.136, and NY/T761. The determination shall be carried out according to the prescribed methods; for fruits and sugars, the determination shall be carried out according to the methods specified in GB23200.113, GB/T5009.19, GB/T5009.136, and

NY/T761; for animal-derived foods, the determination shall be carried out according to the methods specified in GB/T5009.19 and GB/T5009.162.

Table 454

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	0.1

4.457 tebuconazole

4.457.1 Main use: Bactericide.

4.457.2 ADI:0.03 mg/kg bw.

4.457.3 Residue: Tebuconazole.

4.457.4 Maximum residue limit: shall comply with the provisions of Table 457.

4.457.5 Test methods: Grains, oils and fats, vegetables, dried vegetables, nuts, beverages, and medicinal plants shall be tested according to the methods specified in GB23200.113 and GB23200.121; fruits, dried fruits, sugars, and seasonings shall be tested according to the methods specified in GB 23200.8, GB 23200.113, and GB23200.121.

Table 457

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	10

4.469 dimethomorph

4.469.1 Main use: Bactericide.

4.469.2 ADI:0.2 mg/kg bw.

4.469.3 Residue: Dimethomorph.

4.469.4 Maximum residue limits: shall comply with the provisions of Table 469.

4.469.5 Test methods: Vegetables, beverages, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121; fruits and dried fruits shall be tested according to the methods specified in GB23200.121 and SN/T2917.

Table 469

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	5

4.487 cyantraniliprole

4.487.1 Main use: Pesticide.

4.487.2 ADI:0.03 mg/kg bw.

4.487.3 Residues: Cyantraniliprole.

4.487.4 Maximum residue limit: shall comply with the provisions of Table 487.

4.487.5 Test methods: Grains, oilseeds and fats, vegetables, fruits, dried fruits, nuts, beverages, and seasonings shall be tested according to the methods specified in GB23200.121.

Table 487

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	5

4.505 spinetoram

4.505.1 Primary use: Pesticide.

4.505.2 ADI:0.05 mg/kg bw.

4.505.3 Residues: Spinosaram

4.505.4 Maximum residue limits: shall comply with the provisions of Table 505.

4.505.5 Detection method: Vegetables are determined according to the method specified in GB 23200.121.

Table 505

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	4*

*This is a temporary limit.

4.514 ethephon

4.514.1 Main use: Plant growth regulator.

4.514.2 ADI:0.05 mg/kg bw.

4.514.3 Residues: ethephon.

4.514.4 Maximum residue limit: shall comply with the provisions of Table 514.

4.514.5 Test methods: Grains, oilseeds and fats, nuts, and seasonings shall be tested according to the methods specified in GB23200.122; vegetables, fruits, dried fruits, and sugars shall be tested according to the methods specified in GB23200.16 and GB23200.122; mammalian meat (excluding marine mammals) and poultry meat shall be tested according to the methods specified in

GB23200.82; mammalian offal (excluding marine mammals), poultry offal, eggs, and raw milk shall be tested according to the methods specified in GB23200.82.

Table 514

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	50

4.515 acephate

4.515.1 Primary use: Pesticide.

4.515.2 ADI:0.03 mg/kgbw.

4.515.3 Residues: acephate.

4.515.4 Maximum residue limit: shall comply with the provisions of Table 515.

4.515.5 Test methods: Grains, oilseeds, and oils shall be tested according to the methods specified in GB23200113, GB23200116, GB23200121, GB/T5009103, and SN/T3768; Vegetables, dried vegetables, fruits, dried fruits, and edible fungi shall be tested according to the methods specified in GB23200113, GB23200116, GB23200121, GB/T5009103, GB/T5009145, and NY/T761; Tea, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200113, GB23200116, GB23200121, GB/T5009103, GB/T5009145, and NY/T761. The substances were determined according to the methods specified in GB23200.113, GB23200.116, and GB23200.121.

Table 515

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Seasonings (Except for mint, spearmint, and dried chilli)	0.2
Dried chilli	50

4.546 piperonyl butoxide

4.546.1 Main use: Synergist.

4.546.2 ADI:0.2 mg/kg bw.

4.546.3 Residue: Synergism.

4.546.4 Maximum residue limit: shall comply with the provisions of Table 546.

4.546.5 Test methods: Grains shall be tested according to the methods specified in GB23200.34, GB23200.113, and GB23200.121; oils and fats, and seasonings shall be tested according to the methods specified in GB23200.113 and GB23200.121; vegetables, fruits, dried fruits, and beverages shall be tested according to the methods specified in GB23200.8, GB23200.113, and GB23200.121.

Table 546

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	20

4.552 carfentrazone-ethyl

4.552.1 Main use: herbicide.

4.552.2 ADI:0.03 mg/kgbw.

4.552.3 Residue: pyracloprid.

4.552.4 Maximum residue limit: shall comply with the provisions of Table 552.

4.552.5 Test method: Grain, sugar and seasoning shall be determined according to GB 23200.121.

Table 552

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	2

4.556 fenpyroximate

4.556.1 Main use: acaricide.

4.556.2 ADI:0.01 mg/kg bw.

4.556.3 Residues: fenazuron.

4.556.4 Maximum residue limit: shall comply with the provisions of Table 556.

4.556.5 Test methods: Oils and fats, nuts, beverages, seasonings, and medicinal plants shall be tested according to the methods specified in GB23200.121; vegetables, fruits, and dried fruits shall be tested according to the methods specified in GB23200.29 and GB23200.121.

Table 556

Food Category/Name	Maximum Residue Limit (mg/kg)
Seasoning	
Dried chilli	1

Attachment

Table A.1 Food categories and test parts

Food Categories	Category Description	Measurement Part
Seasonings	Dried chilli	Whole fruit (stem removed)

